1991 INDEX

localization, Oct., 674-675 Abdomen localization, by selective venous drainage in laparoscopic cholesampling, Oct., 675 Adhesions: in laparoscopic cholecystectomy, Sept., 625 cystectomy, Sept., 624-625 ring, internal closure of, Marcy plastic, June, Adrenal 439 adenoma (see Adenoma, adrenal) crura of, June, 412-413 cortex carcinoma (see Carcinoma, failure to close causing recuradrenocortical) rence of indirect inguinal cortex, embryology of, Oct., 663hernia, June, 440, 442 upper quadrant, CT of pheochrocortex neoplasms, Oct., 664-696 definitions, Oct., 665 mocytoma of, Oct., 717 differentiating malignant from wall benign, Oct., 688-689 anterior, lower right, posterior view of, June, 415 functional, Oct., 665-695 lower, fasciomusculoaponeufunctional, benign, Oct., 665rotic components of, June, 409 functional, malignant, Oct., Above-knee amputation (see Amputation for 677 - 695ischemia, above-knee) nonfunctional, Oct., 695-696 infrainguinal bypass, Feb., 137 nonfunctional, benign, Oct., Abuse: IV drug, causing upper ex-695 - 696tremity deep venous thromnonfunctional, malignant, Oct., bosis, May, 385 696 Acid cyst, Oct., 696 biopsy of, fine-needle aspira--base balance in stress erosive tion, Oct., 721-722 gastritis, July, 470 luminal, in stress erosive gastritis, CT of, Oct., 721 hyperplasia, congenital July, 466 Addison's disease: and adrenal mefemale pseudohermaphrodittastases, Oct., 730-731 ism due to, Aug., 538-542 Adenoma prenatal treatment, Aug., 541adrenal 542 Conn's syndrome due to (see steroid management, Aug., Hyperaldosteronism, primary) masses, incidental, Oct., 720-725 Cushing's syndrome due to CT scan review for features of (see Cushing's syndrome, cyst, Oct., 721 adrenal adenoma causing) diagnoses, final, Oct., 725 aldosterone-producing, Oct., 670differential diagnosis, Oct., 721-677

(See also Hyperaldosteronism,

differentiated from idiopathic

hyperaldosteronism, Oct., 673

primary)

evaluation, flow diagram for,

evaluation by size, Oct., 722

incidence, Oct., 720

Oct., 724

1991 INDEX

localization, Oct., 674-675 Abdomen localization, by selective venous drainage in laparoscopic cholesampling, Oct., 675 Adhesions: in laparoscopic cholecystectomy, Sept., 625 cystectomy, Sept., 624-625 ring, internal closure of, Marcy plastic, June, Adrenal 439 adenoma (see Adenoma, adrenal) crura of, June, 412-413 cortex carcinoma (see Carcinoma, failure to close causing recuradrenocortical) rence of indirect inguinal cortex, embryology of, Oct., 663hernia, June, 440, 442 upper quadrant, CT of pheochrocortex neoplasms, Oct., 664-696 definitions, Oct., 665 mocytoma of, Oct., 717 differentiating malignant from wall benign, Oct., 688-689 anterior, lower right, posterior view of, June, 415 functional, Oct., 665-695 lower, fasciomusculoaponeufunctional, benign, Oct., 665rotic components of, June, 409 functional, malignant, Oct., Above-knee amputation (see Amputation for 677 - 695ischemia, above-knee) nonfunctional, Oct., 695-696 infrainguinal bypass, Feb., 137 nonfunctional, benign, Oct., Abuse: IV drug, causing upper ex-695 - 696tremity deep venous thromnonfunctional, malignant, Oct., bosis, May, 385 696 Acid cyst, Oct., 696 biopsy of, fine-needle aspira--base balance in stress erosive tion, Oct., 721-722 gastritis, July, 470 luminal, in stress erosive gastritis, CT of, Oct., 721 hyperplasia, congenital July, 466 Addison's disease: and adrenal mefemale pseudohermaphrodittastases, Oct., 730-731 ism due to, Aug., 538-542 Adenoma prenatal treatment, Aug., 541adrenal 542 Conn's syndrome due to (see steroid management, Aug., Hyperaldosteronism, primary) masses, incidental, Oct., 720-725 Cushing's syndrome due to CT scan review for features of (see Cushing's syndrome, cyst, Oct., 721 adrenal adenoma causing) diagnoses, final, Oct., 725 aldosterone-producing, Oct., 670differential diagnosis, Oct., 721-677

(See also Hyperaldosteronism,

differentiated from idiopathic

hyperaldosteronism, Oct., 673

primary)

evaluation, flow diagram for,

evaluation by size, Oct., 722

incidence, Oct., 720

Oct., 724

medulla embryology, Oct., 696medulla neoplasms, Oct., 696definitions, Oct., 697-698 functional, Oct., 698-716 functional (See also Pheochromocytoma) functional, benign, Oct., 698functional, malignant, Oct., 713 - 716nonfunctional (see Paraganglioma) metastases (see Metastases, adrenal) neoplasms, Oct., 663-739 (See also Adrenal, cortex neoplasms; Adrenal, medulla neoplasms) incidence, Oct., 664 right, differentiated from normal right kidney by arteriography, Oct., 686 vein in adrenocortical carcinoma. MRI of, Oct., 684 in pheochromocytoma, CT of, Oct., 714 Adrenocortical (see Adrenal, cortex) Adrenogenital syndrome (see Adrenal, hyperplasia, congenital) Adventitial arterial degeneration: cystic, arteriographic findings in, Jan., 77 Age adrenocortical carcinoma and, Oct., 677 amputation for lower limb ischemia and, Feb., 142-143 cystic adventitial arterial degeneration and, Jan., 77 ischemia and, chronic lowerextremity, Jan., 14, 17, 20

management, Oct., 723-724

MRI of, Oct., 722

Air embolization, systemic, after pulmonary injury, Nov., 781 plethysmography (see Plethysmography, air) AIS Excimer Laser: photograph of, Feb., 115 Aldosterone-producing adenoma (see Adenoma, aldosteroneproducing) Alfentanil: in pheochromocytoma surgery, Oct., 709 Alpha-adrenergic blockade in pheochromocytoma operative, Oct., 709 during pregnancy, Oct., 712 preoperative, Oct., 706-707 Alpha-methyl-para-tyrosine in pheochromocytoma, Oct., 707 malignant, Oct., 715 Amaurosis fugax, Mar., 221 Amikacin, Dec., 885 Aminoglutethimide: in adrenocortical carcinoma, Oct., 694 Aminoglycosides, Dec., 881-885 synergism with penicillin, Dec., 831-832 Amoxicillin, Dec., 838 -clavulanate, Dec., 845 Amphotericin, Dec., 885-886 adverse reactions, Dec., 886 antifungal spectrum, Dec., 886 pharmacokinetics, Dec., 886 usual dose and dose interval, Dec., 885-886 Ampicillin, Dec., 836-838 adverse reactions, Dec., 838 antibacterial spectrum, Dec., 837pharmacokinetics, Dec., 837

-sulbactam, Dec., 843–845 adverse reactions, Dec., 844 antibacterial spectrum, Dec., 844, 845 features, Dec., 844 pharmacokinetics, Dec., 844 Amputation for ischemia above-knee systolic pressure and, Feb., 151 technique, Feb., 160–161

Jan., 73

pheochromocytoma and, Oct., 699

thromboangiitis obliterans and,

varicose veins and, May, 374

Amputation for ischemia (cont.) below-knee, technique, Feb., 158– 160

Chopart's, technique, Feb., 158 Lisfranc's, technique, Feb., 158 lower limb, Feb., 140–164 annual number and percentages for each common level, in U.S., Feb., 142 conclusions, Feb., 163–164

evaluation of patients for, Feb., 142–144 history, Feb., 140–142 indications, Feb., 144

level determination, Feb., 148– 155

level determination, laser Doppler velocimetry for, Feb., 151-152

level determination, overview, Feb., 155

level determination, segmental systolic pressure for, Feb., 150 level determination, skin blood flow for, Feb., 153–154

level determination, skin fluorescence for, Feb., 152

level determination, skin perfusion pressure for, Feb., 152–153

level determination, thermography for, Feb., 154

level determination, transcutaneous Po₂ for, Feb., 149–150 level after failed bypass, Feb., 146 morbidity after, Feb., 162–163 mortality after, Feb., 162–163 preoperative patient characteristics, Feb., 143 survival after, Feb., 162–163 technique, Feb., 155–161

technique, Feb., 155-161 vs. revascularization, Feb., 144-148

ray, technique, Feb., 156–157 Syme's, technique, Feb., 158, 159 toe, technique, Feb., 155–156 transmetatarsal, technique, Feb., 157–158

Anaerobe cephalosporins, Dec., 852-854 Anatomy

aortic arch, variations of, Mar., 190

of cerebral circulation, Mar., 189– 196

Ancef (see Cefazolin)

Androgen

receptor, cloning of, Aug., 524 treatment of microphallus in early infancy, Aug., 544–545

Anemia: hemolytic, due to antibiotics, Dec., 823

Anesthesia

for carotid endarterectomy, Mar., 232-233

for cholecystectomy, laparoscopic, Sept., 607–608 for hernia repair, Shouldice, June,

Anesthetic

424

management of pheochromocytoma, Oct., 708-710

Aneurysm

carotid, Mar., 205-206 femoral, arteriographic findings,

Jan., 77 lower-extremity, arteriographic findings, Jan., 70–72, 77, 78 popliteal, arteriographic findings,

Jan., 78 Angiographic therapy: for bleeding from stress gastritis, July, 499–500

Angiography

(See also Arteriography)
of fibromuscular dysplasia, carotid, Mar., 207

in ischemia, chronic lowerextremity, Jan., 56–82 catheterization in, Jan., 57–58 digital subtraction angiography, Jan., 62–63 distal vessel opacification, Jan.,

63-66
"dry limb" balloon occlusion technique, Jan., 66
patient preparation for, Jan., 57

patient preparation for, Jan., 57 puncture in, Jan., 57–58 special situations, Jan., 60–61 techniques, Jan., 56–66 transaxillary approach, Jan., 58-59

Angioplasty

balloon vein, in Paget-Schroetter syndrome, May, 388–389

laser, in chronic lower-extremity ischemia, Feb., 113-115 percutaneous transluminal

aortoiliac patency after, Feb., 105

femoropopliteal, Feb., 107–109 femoropopliteal, complications in, Feb., 109

femoropopliteal, limb salvage after, Feb., 108

femoropopliteal patency after, Feb., 105

of iliac arteries, Feb., 104–107 of iliac arteries, complications in, Feb., 109

infrapopliteal, Feb., 110-111 percutaneous transluminal, of lower extremities, Feb., 104-113

adjuncts to, Feb., 113-124 current status, Feb., 111 mechanism of action, Feb., 111-

restenosis after, etiologies and interventions, Feb., 112

Ankle-brachial systolic blood pressure index: in chronic lowerextremity ischemia, Jan., 35–36

Antacids

for bleeding from stress gastritis, July, 498

comparison of, July, 478 in stress ulcer prophylaxis, July, 476–478

vs. cimetidine, July, 481 Antiaggregants: in cerebrovascular disease, Mar., 241–242

Antibiotic(s), Dec., 807–907 adverse reactions, Dec., 821–824 beta-lactam, structure-function relationships in, Dec., 822 bioavailability, Dec., 811 biological half-life, Dec., 813, 815

break point, Dec., 820

choice of, Dec., 809-811 concentration

in infected tissue, Dec., 816 minimal inhibitory, Dec., 814 data, specific, Dec., 824–887 distribution, Dec., 811–813 dose, Dec., 810–811 excretion route, Dec., 816–818 flora and, normal, Dec., 818–819 in general surgery, Dec., 807–907 hematologic reactions to, Dec., 822–823

host defenses and, Dec., 824 hypersensitivity reaction to, Dec., 821–822

microbiology and, Dec., 818–821 non-β-lactam, Dec., 863–885 pharmacokinetics, Dec., 811–818 prophylaxis, Dec., 887–899

in appendicitis, Dec., 894–895 in biliary operations, Dec., 896– 898

in clean operations, Dec., 898– 899

in colon operations, Dec., 893–894

in colon operations, singledose vs. multiple dose, Dec., 891

duration of, Dec., 890 effective, principles of, Dec., 890–893

in esophagus operations, Dec., 896

in gastroduodenal operations, Dec., 895–896

procedure-specific infection rates and, Dec., 889–890

in rectum operations, Dec., 893-894

in specific clinical circumstances, Dec., 893–899 timing of, Dec., 887–889

in vascular operations, Dec., 898 renal failure due to, Dec., 823 resistance mechanisms, Dec., 819–820

susceptibility, testing for, Dec., 820-821

therapy

Antibiotic(s) (cont.)
therapy (cont.)
duration of, Dec., 811
empiric, Dec., 899–900
guidelines for, Dec., 808
tolerance, Dec., 820
toxicity
CNS, Dec., 823
gastrointestinal, Dec., 824
hepatic, Dec., 823

Anticoagulation in cerebrovascular disease, Mar., 240-241

in ischemia, chronic lowerextremity, Jan., 52

Antifungal drugs, Dec., 885–887 Antihypertensive drugs: in delayed aortic rupture repair, Nov., 775

Antiplatelet drugs after infrainguinal bypass, Feb., 131 in ischemia, chronic lowerextremity, Jan., 51–52

Antrectomy in peptic ulcer diagram, Apr., 278 truncal vagotomy and (see Vagotomy, truncal, antrectomy and)

Aorta

arch anatomy, variations of, Mar., 190

cross-clamping after aortic rupture, Nov., 775

injuries, Nov., 771–775 aortography after, Nov., 773, 774 x-ray after, Nov., 773, 774

rupture, traumatic, diagram of stresses contributing to, Nov., 772

Aortography: after aortic injuries, Nov., 773, 774

Aortoiliac

disease, isolated, segmental limb pressure in, Jan., 37

patency after percutaneous transluminal angioplasty, Feb., 105

Aplasia

venous, congenital deep, causing chronic venous insufficiency, May, 359 venous valvular, congenital, causing chronic venous insufficiency, May, 359

Appendectomy

inguinal hernia after, June, 416 laparoscopic, Sept., 648 during pregnancy, Sept., 593 Appendicitis: antibiotic prophylaxis in, Dec., 894–895

Arteriography

(See also Angiography) differentiating adrenal tumor from normal kidney, Oct., 686 findings

in aneurysms of lower extremity, Jan., 70-72, 77, 78

in arteritis, lower extremity, Jan., 78-79

in atherosclerosis, lower extremity, Jan., 66–70, 71, 72, 73, 74, 75, 76

in cystic adventitial arterial degeneration, Jan., 77

in ergot toxicity, Jan., 79, 81–82 in popliteal artery entrapment syndrome, Jan., 74, 76–77, 80 in thromboangiitis obliterans, Jan., 73–74, 79

Arteriotomy closure: in carotid endarterectomy, Mar., 238

Arteritis

giant cell, Mar., 212–213 lower extremity, arteriographic findings in, Jan., 78–79 Takayasu's, Mar., 212–213 temporal, Mar., 212

Artery(ies)

carotid (see Carotid, artery) cystic, avulsion, in laparoscopic cholecystectomy, Sept., 624 degeneration, cystic adventitial, arteriographic findings in,

Jan., 77
femoral (see Femoral, artery)
iliac, percutaneous transluminal
angioplasty of, Feb., 104–107
complications, Feb., 109

infrapopliteal, percutaneous transluminal angioplasty of, Feb., 110–111 innominate, traumatic rupture of, Nov., 777

peripheral, stenosis, duplex criteria for, Jan., 42

popliteal (see Popliteal artery) subclavian (see Subclavian, artery) vertebral (see Vertebral, arteries)

Aspiration biopsy: fine-needle, of adrenal cyst, Oct., 721-722

Aspirin

in cerebrovascular disease, Mar., 241-242

after infrainguinal bypass, Feb., 131

in ischemia, chronic lowerextremity, Jan., 51-52

Atherectomy catheters, Feb., 115-

AtheroCath, Feb., 116

proposed mechanism of action, Feb., 117

Atherosclerosis

carotid, Mar., 202-203

lower-extremity, arteriographic findings, Jan., 66–70, 71, 72, 73, 74, 75, 76

smoking effects on, Jan., 46 Auth Rotablator, Feb., 118

Avulsion: of cystic duct or artery in laparoscopic cholecystectomy. Sept., 624

Axillosubclavian venous thrombosis (see Thrombosis, venous, deep, upper extremity)

Azactam (see Aztreonam) Azlocillin, Dec., 840–841

Aztreonam, Dec., 858-860

adverse reactions, Dec., 860 antibacterial spectrum, Dec., 859,

features, Dec., 860 pharmacokinetics, Dec., 859, 861

B

Bacteria

abbreviations of, Dec., 826–827 alphabetic list of, Dec., 827–828 gram-negative, cell wall structure of, Dec., 830 gram-positive, cell wall structure of, Dec., 830

identification of, Dec., 808-809 Bactibilia: risk factors for, Dec., 897

Bactrim (see Sulfamethoxazoletrimethoprim)

Balloon

angioplasty, vein, in Paget-Schroetter syndrome, May, 388–389

occlusion angiography, "dry limb," Jan., 66

Barbiturates

after aortic cross-clamping, Nov., 775

pheochromocytoma surgery and, Oct., 708

Baroreceptor malfunction: causing blood pressure abnormalities after carotid endarterectomy, Mar., 244

Bassini repair: of groin hernias, June, 419-421

Behcet's disease: carotid artery in, Mar., 214

Below-knee

amputation for ischemia, technique, Feb., 158-160

infrainguinal bypass, Feb., 137 Benzodiazepines: and pheochromocytoma surgery, Oct., 708

Beta-adrenergic blockade: in pheochromocytoma, Oct., 707-708

Beta-lactam antibiotics: structurefunction relationships in, Dec., 822

Bicarbonate-mucus barrier: in stress erosive gastritis, July, 471– 472

Bile

duct

common, stones, management during laparoscopic cholecystectomy, Sept., 636–638 injuries during laparoscopic

cholecystectomy, Sept., 627– 628

reflux in stress erosive gastritis, July, 466-467 Biliary operations: antibiotic prophylaxis in, Dec., 896–898

Billroth II anastomosis: after gastric resection, complications of, Apr., 280

Biochemical evaluation: preoperative, in adrenocortical carcinoma, Oct., 679–680

Biology of hernias femoral, June, 416–417 groin, June, 413–417 inguinal, June, 413–414

Biopsy

fine-needle aspiration, of adrenal cyst, Oct., 721–722

genital skin, in male pseudohermaphroditism, Aug., 533 gonadal, in intersex abnormalities, Aug., 533

Bladder

drainage for hypospadias repair, Aug., 558

graft neourethra in hypospadias repair, Aug., 566 diverticulum in, Aug., 567

Bleeding

antibiotics causing, Dec., 822–823 after carotid endarterectomy, Mar., 243

during cholecystectomy, laparoscopic, Sept., 626-627

gastritis causing, stress erosive diagnosis, July, 495–496 management, July, 495–502 treatment, angiographic, July, 499–500

treatment, endoscopic, July, 498-499

treatment, medical, July, 497-498

treatment, nonoperative, July, 497-500

treatment, operative, July, 500-

intraperitoneal, after gunshot wound, Nov., 766

ulcers, selection of operation for duodenal, Apr., 305–307 gastric, Apr., 307–308 peptic, Apr., 305–308 Blood

flow

cerebral (see Cerebral, blood flow) mucosal, in stress erosive gastritis, July, 468–471

skin, for determination of lower limb amputation level, Feb., 153-154

volume measurements in chronic lower-extremity ischemia, Jan., 32

pressure

abnormalities after carotid endarterectomy, Mar., 243-244

index, ankle-brachial systolic, in chronic lower-extremity ischemia, Jan., 35–36

monitoring in pheochromocytoma surgery, Oct., 709

segmental limb, in chronic lower-extremity ischemia, Jan., 36–37

systolic, segmental, for determination of lower limb amputation level, Feb., 150-151

supply of penis, Aug., 548

volume expansion after penetrating cardiac trauma, Nov., 754

Boot: Unna's, May, 367

Brachial systolic blood pressure: in chronic lower-extremity ischemia, Jan., 35-36

Brain scanning: in cerebrovascular disease, Mar., 227–230

Bronchi

main stem, traumatic rupture, Nov., 780

tracheobronchial injury, Nov., 776-779

Bullet(s)

in heart (see Heart, bullets in) wounds

of chest (see Chest, wounds, bullet)

of neck, lower, Nov., 783

of supraclavicular fossa, Nov., 774

of ventricle, left, Nov., 758 Burns: and stress gastritis, July, 462–463 Buttock flap vaginoplasty: in infants raised as females, Aug., 554– 557

Bypass

infrainguinal, in chronic lowerextremity ischemia, Feb., 125–139

above-knee vs. below-knee, Feb., 137

choice of conduit, Feb., 126-127

complications after, Feb., 135-136

current issues pertaining to, Feb., 137-138

graft patency after, Feb., 131-135

historical perspective, Feb., 125-126

initial PTFE bypass, Feb., 138 in situ vs. reversed vein bypass, Feb., 137

limb salvage after, Feb., 131–134

operative management, Feb., 128-130

patient selection, Feb., 126 postoperative management, Feb., 131

preoperative evaluation, Feb., 126

PTFE, patency, Feb., 135 results, Feb., 133

sequential grafting, Feb., 138 survival after, Feb., 131-134 venous

in thrombosis, upper extremity deep venous, May, 387

in venous insufficiency, chronic, May, 372-373

C

Calf

compression, postoperative intermittent pneumatic, after venous reconstruction, May, 373

muscle pump, May, 345-346

Calot's triangle (see Cholecystectomy, laparoscopic, Calot's triangle in)

Canadian repair: of groin hernias, June, 424–427

Cancer

testis, in intersex patients, Aug., 574-575

thrombophlebitis and, migratory, May, 384

Carbapenems, Dec., 860–863 Carbenicillin, Dec., 841

Carcinoma

adrenocortical, Oct., 677–695 biochemical evaluation, preoperative, Oct., 679–680

classification, Oct., 677–679 CT of, Oct., 679, 680 etiology, Oct., 677 follow-up, Oct., 689

hormone excess in, drugs for, Oct., 694

incidence, Oct., 677 localization, Oct., 680–683 metastases, nonsurgical treatment, Oct., 689–695

mitotane in, Oct., 690 MRI of, Oct., 681, 682, 683

presentation, Oct., 677-679 prognostic indicators, Oct., 688

recurrences, treatment of, Oct., 689

recurrences, treatment of, nonsurgical, Oct., 689–695 staging criteria, Oct., 683–684 survival, Oct., 687–688 treatment, Oct., 684–687 treatment, adjuvant, Oct., 695

venography in, Oct., 685 testis, in situ, in intersex patients Aug., 574–575

Cardiac (see Heart)

Cardiothoracic trauma, Nov., 747-797

(See also Chest, injuries; Heart, trauma)

general management, Nov., 748– 750

initial assessment, Nov., 748-750 introduction, Nov., 747-748

Care

postoperative, after laparoscopic cholecystectomy, Sept., 628 preoperative, in laparoscopic

cholecystectomy, Sept., 607-

Carnitine: in chronic lowerextremity ischemia, Jan., 54

Carotid

artery(ies)

aneurysms, Mar., 205-206 atherosclerosis, Mar., 202-203 in Behcet's disease, Mar., 214

bifurcation (see Carotid, bifurcation below)

coils, Mar., 204-205

common, Mar., 196

common, anatomy of, Mar., 192 - 194

exposure during carotid endarterectomy, Mar., 245

external, anatomy of, Mar.,

fibromuscular dysplasia, Mar., 206-207

fibromuscular dysplasia, angiogram of, Mar., 207

internal, anatomy of, Mar., 193-

internal, entry into skull, Mar., 194

kinks, Mar., 204-205

in lupus erythematosus, systemic, Mar., 213-214

in periarteritis nodosa, Mar., 213

radiation-induced injury to, Mar., 210-211

in vasculitis, Mar., 211-214 backpressure monitoring, tech-

nique, Mar., 234 bifurcation, Mar., 195-196 exposure in endarterectomy,

Mar., 233-234 pathologic entities affecting,

Mar., 201-214 body tumors, Mar., 208-210 angiogram of, Mar., 208

endarterectomy (see Endarterectomy, carotid)

stenosis

asymptomatic, trials of carotid endarterectomy in, ACAS Group, Mar., 252

asymptomatic, trials of carotid endarterectomy in, Veterans Administration, Mar., 251-252

recurrent, after endarterectomy, Mar., 247-248

ulcer. Mar., 203

thrombus in ulcer crater and, Mar., 218

Catecholamine secretion: excess, manifestation of, Oct., 699

Catheter

atherectomy, Feb., 115-118 Foley, in pheochromocytoma surgery, Oct., 709

Swan-Ganz

in pheochromocytoma surgery, Oct., 709

thrombosis due to, upper extremity deep venous, May, 384

Catheterization

for angiography in chronic lowerextremity ischemia, Jan., 57 - 58

subclavian vein, causing upper extremity deep venous thrombosis, May, 384

Cefaclor, Dec., 852 Cefadroxil, Dec., 852

Cefamandole, Dec., 851

Cefazolin, Dec., 850-851

activity, spectrum of, Dec., 850, 851

adverse reactions, Dec., 851

features, Dec., 851 pharmacokinetics, Dec., 849, 850

Cefmenoxime, Dec., 857

Cefmetazole, Dec., 854 Cefoperazone, Dec., 851

Ceforanide, Dec., 851

Cefotaxime, Dec., 856-857

adverse reactions, Dec., 857 antibacterial spectrum, Dec., 857, 859, 860

pharmacokinetics, Dec., 856, 858 Cefotetan, Dec., 854 Cefoxitin, Dec., 852-854 adverse reactions, Dec., 853 antibacterial spectrum, Dec., 853, pharmacokinetics, Dec., 852-853 Cefradine, Dec., 852 Cefsulodin, Dec., 855 Ceftazidime, Dec., 854-855 adverse reactions, Dec., 855 antibacterial spectrum, Dec., 855, 856, 857 features, Dec., 855 pharmacokinetics, Dec., 854-855 Ceftizoxime, Dec., 857 Ceftriaxone, Dec., 857-858 Cefuroxime, Dec., 851 Cell(s) gastric mucosa, protected by mucosal barrier, Apr., 320 germ cell tumors in intersex patients, Aug., 575 giant cell arteritis, Mar., 212-213 parietal (see Vagotomy, parietal wall structure of gram-positive and gram-negative bacteria, Dec., 830 Central nervous system disease causing stress gastritis, July, 463 toxicity of antibiotics, Dec., 823 Cephalexin, Dec., 852 Cephalosporins, Dec., 845-858 action mechanism of, Dec., 847 spectrum of, Dec., 847-849 anaerobe, Dec., 852-854 coliform. Dec., 856-858 general information, Dec., 845pharmacokinetic properties, Dec., pseudomonal, Dec., 854-856 resistance to, Dec., 849-850 staphylococcal, Dec., 850-852 structure, Dec., 848 -function relationships, Dec.,

Cephalothin, Dec., 851 Cephapirin, Dec., 851 Cerebral blood flow monitoring in carotid endarterectomy, Mar., 234-235 response to variation in PaCO₂ levels, Mar., 200 circulation anatomy, Mar., 189-196 in cerebrovascular disorders. Mar., 199-200 collateral, Mar., 195-196 intrathoracic segments, Mar., metabolic requirements, Mar., 197 - 198physiology, Mar., 196-201 physiology, methods of study, Mar., 196-197 infarct, CT of, Mar., 229 ischemia (see Ischemia, cerebral) perfusion luxury, Mar., 201 misery, Mar., 201 pathologic, Mar., 200-201 Cerebrospinal fluid drainage: after aortic cross-clamping, Nov., 775 Cerebrovascular disease antiaggregants in, Mar., 241-242 anticoagulation in, Mar., 240-241 brain scanning in, Mar., 227-230 circulatory factors in, Mar., 199diagnostic methods, Mar., 223-230 Doppler in, transcranial, Mar., 226-227 duplex scanning in, Mar., 226 endarterectomy in (see Endarterectomy, carotid) history in, Mar., 223-225 imaging in, vessel (see Imaging, vessel, in cerebrovascular disease) management, medical, Mar., 240-MRI in, Mar., 228-229 oculoplethysmography in, Mar.,

225-226

846-847

Cerebrovascular disease (cont.) physical examination in. Mar., 223-225 tomography in computed, Mar., 228, 229 positron emission, Mar., 229-Chair sitting: and varicose veins, May, 374-375 Chemicals: breaking mucosal barrier causing peptic ulcer, Apr., 319-321 Chemotherapy: in adrenocortical carcinoma, Oct., 690-693 Chest flail. Nov., 786-788 diagram of, Nov., 787 injuries See also Cardiothoracic trauma; Chest, wounds) blunt, x-ray after, Nov., 777 wounds bullet, esophagograms after, Nov., 782 bullet, x-ray after, Nov., 781 sucking, Nov., 785-786 Children carotid artery coils and kinks in, Mar., 204 infant (see Infant) intersex abnormalities in (see Intersex abnormalities) newborn (see Newborn) pheochromocytoma in. Oct., 699 Chloramphenicol, Dec., 880-881 adverse reactions, Dec., 881 antibacterial spectrum, Dec., 881 features, Dec., 881 pharmacokinetics, Dec., 880-881 Chloromycetin (see Chloramphenicol) Chlortetracycline, Dec., 869. Cholangiography during laparoscopic cholecystectomy absence of filling of proximal biliary tree on, Sept., 640

Cholecystectomy laparoscopic, Sept., 587-655 abdominal drainage in, Sept., adhesions in, Sept., 624-625 adhesions to infundibulum lysed by stripping action, Sept., Color Plate at 618 anatomic hazards in, Sept., 621 anesthesia for, Sept., 607-608 avulsion of cystic duct or artery in, Sept., 624 background, Sept., 587-592 Calot's triangle in, exposure of, Sept., Color Plate at 618 Calot's triangle in, reverse of, Sept., Color Plate at 618 cholangiography during (see cholangiography during laparoscopic cholecystectomy) cholecystitis and, acute, Sept., 622-623 clinical series, Sept., 638-644 clinical series, author's, Sept., 638-644 clip appliers in, Sept., 605 comparison to alternative therapies for cholelithiasis, Sept., complications of, Sept., 627-628 consent for, Sept., 594 contraindications, Sept., 593controversies in, Sept., 628-638 conversion to open operation during, Sept., 621 courses in, Sept., 645-647 credentialing for, Sept., 647 documentation, Sept., 594-595 electrocautery in, insulated probes for, Sept., 604 electrocautery in, vs. laser, Sept., 628-632 forceps in, curved, Sept., 601 forceps in, dissecting, Sept., 600 forceps in, grasping, Sept., 599 gallbladder dissection in, leaving only thin bridge of tissue, Sept., Color Plate at 618

criteria for, Sept., 632

normal-appearing, Sept., 635

technique, Sept., 632-636

routine vs. selective, Sept., 632

gallbladder exposed through umbilical incision, Sept., Color Plate at 618 hemorrhage during, Sept., 626-

indications, Sept., 592-593

instrumentation, Sept., 595-

instrumentation, basic laparoscopy, Sept., 595-598

intrahepatic gallbladder in, Sept., 624

intraoperative gallbladder in, Sept., 623-624

large gallstones in, Sept., 625,

laser vs. electrocautery in, Sept., 628-632

ligature in, Sept., 603 management of common duct stones during, Sept., 636-638 needle holders in, Sept., 602

operating room organization for, Sept., 607

operative technique, Sept., 607operative time for, Sept., 643

pneumoperitoneum creation in, Sept., 608-611

pneumoperitoneum creation in, Veress needle for, Sept.,

postoperative care, Sept., 628 preoperative care, Sept., 607-

preoperative considerations, Sept., 592-595

results, Sept., 644 scissors in, Sept., 602

special considerations in per-

formance of, Sept., 621-628 technique, Sept., 611-621

training for, Sept., 645

trocar-sheath insertion in, Sept., 608-611, 612

trocar-sheath insertion in, positions for, Sept., 615 video, electronic equipment for,

Sept., 606

traditional open, Sept., 587

conversion to, during laparoscopic cholecystectomy, Sept., 621

Cholecystitis: acute, and laparoscopic cholecystectomy, Sept., 622-623

Cholelithiasis (see Gallstones)

Chopart's amputation: for ischemia, technique, Feb., 158

Chorionic gonadotropin (see Gonadotropin, chorionic)

Cigarette smoking (see Smoking) Cimetidine

for bleeding from stress gastritis, **July 498**

in stress ulcer prophylaxis, July, 480 - 484

gastric pH after, July, 483 gastric pH after, in patients with renal and/or hepatic dysfunction, July, 488

vs. antacids, July, 481 Ciprofloxacin, Dec., 869-870 adverse reactions, Dec., 870

antibacterial spectrum, Dec., 869, 872, 873

features, Dec., 870

pharmacokinetics, Dec., 869, 870 Circulation, cerebral (see Cerebral, circulation)

Cisplatin: in adrenocortical carcinoma, Oct., 692-693

Claforan (see Cefotaxime)

Claudication, intermittent death in, causes of, Jan., 28

in Framingham Study, Jan., 19 incidence, Jan., 18

natural history, Jan., 22-24

risk factors, Jan., 20 survival and, Jan., 27

Clavulanate: amoxicillin-clavulanate, Dec., 845

Clean operations: antibiotic prophylaxis in, Dec., 898-899

Cleocin (see Clindamycin)

Clindamycin, Dec., 878-880 adverse reactions, Dec., 879

antibacterial spectrum, Dec., 878-879, 880

features, Dec., 879

Clindamycin (cont.)

pharmacokinetics, Dec., 878

Clip appliers: for laparoscopic surgery, Sept., 605

Clitoral recession: in infants raised as females, Aug., 547-551

Clonidine suppression test: in pheochromocytoma, Oct., 701

Cloxacillin, Dec., 836

CNS (see Central nervous system)
Coagulation disorder: due to antibi-

Coagulation disorder: due to antib otics, Dec., 822–823

Coagulopathy: lupus-associated, Mar., 213-214

Coils: carotid, Mar., 204-205

Coliform cephalosporins, Dec., 856–858

Colitis: pseudomembranous, due to antibiotics, Dec., 824

Collagen defect: and inguinal hernia, June, 414

Collateral circulation: cerebral, Mar., 195-196

Colon operations

antibiotic prophylaxis in, Dec., 893-894

single-dose vs. multiple-dose, Dec., 891

preparation for, Dec., 894 Communicating veins, May, 347

Compression

calf, postoperative intermittent pneumatic, after venous reconstruction, May, 373

classes, elastic stocking, May, 368 therapy

in varicose veins, May, 381 in venous insufficiency, chronic, May, 367–369

Computed tomography of adenoma

adrenal, in Cushing's syndrome, Oct., 669

aldosterone-producing, Oct., 674

of adrenal cyst, Oct., 721 of adrenal metastases, Oct., 726-

728

of adrenocortical carcinoma, Oct., 679, 680 in aortic injury, Nov., 774 of cerebral infarct, Mar., 229

of cerebrovascular disease, Mar., 228, 229

of paraganglioma, Oct., 719

of pheochromocytoma, Oct., 701– 702, 703, 705–706

of abdomen, upper quadrant, Oct., 717

malignant, Oct., 714, 715

of organ of Zuckerkandl, Oct., 717 Condon repair: of groin hernias,

Condon repair: of groin hernias, June, 423–424

Conn's syndrome (see Hyperaldosteronism, primary)

Consent: for laparoscopic cholecystectomy, Sept., 594

Contraceptives: oral, and upper extremity deep venous thrombosis, May, 388

Contusion

cardiac, Nov., 767-770 photomicrographs of, Nov., 768

pulmonary, Nov., 781

flail chest and, Nov., 787-788

Cooper ligament polypropylene mesh attached to, for recurrent groin hernia, June, 444

repair of groin hernias, June, 421-423

Corticosteroids (see Steroids)

Costs: of endovascular procedures for chronic lower-extremity ischemia. Feb., 123

Cotrimoxazole (see Sulfamethoxazoletrimethoprim)

Coumadin (see Warfarin)

Courses: in laparoscopic cholecystectomy, Sept., 645-647

Cranial nerve injuries: during carotid endarterectomy, Mar., 244-245

Cranium

carotid artery entry into, internal, Mar., 194

vertebral artery entry into, Mar., 192

Credentialing: for laparoscopic cholecystectomy, Sept., 647 Cross-clamping: of aorta after aortic rupture, Nov., 775

Crura: of internal abdominal ring, June, 412–413

Cryptorchidism: medical therapy of, Aug., 545

CT (see Computed tomography) Curling's ulcer, July, 462–463

Cushing's syndrome

adrenal adenoma causing, Oct., 665-670

> CT in, Oct., 669 localization in, Oct., 668–669 prognosis, Oct., 669–670 treatment, Oct., 669

confirmation of, flow diagram for, Oct., 666

etiology, flow diagram for determining, Oct., 667

Cushing's ulcer, July, 463 Cyst (see Adrenal, cyst)

Cystic

adventitial arterial degeneration, arteriographic findings in, Jan., 77

duct or artery avulsion in laparoscopic cholecystectomy, Sept., 624

Cystoscopy: before perineal reconstructions in infants raised as females, Aug., 547

Cystostomy for hypospadias penoscrotal, Aug., 560 perineal, Aug., 561

Cytometry: flow, in malignant pheochromocytoma, Oct., 713-714

D

Dacron graft: in left ventricular bullet wound repair, Nov., 758

Death (see Mortality)

Devascularization: gastric, for bleeding from stress gastritis, July, 501-502

Dexamethasone suppression tests: in Cushing's syndrome, Oct., 667–668 Dextran 70: after infrainguinal bypass, Feb., 131

Diaschisis, Mar., 201 Dicloxacillin, Dec., 836

Digital

measurements in chronic lowerextremity ischemia, Jan., 33-34

subtraction angiography in chronic lower-extremity ischemia, Jan., 62-63

subtraction venography in upper extremity deep venous thrombosis, May, 386

Digitalis: in pheochromocytoma, Oct., 708

Dipyridamole

in cerebrovascular disease, Mar., 241–242

in ischemia, chronic lowerextremity, Jan., 51

Disarticulation: forefoot, for ischemia, technique, Feb., 158

Dissecting forceps: in laparoscopic cholecystectomy, Sept., 600

Disulfuram-like responses: with antibiotics, Dec., 823

Diverticulum: in bladder graft neourethra, Aug., 567

Documentation: of laparoscopic cholecystectomy, Sept., 594– 595

Doppler

analog waveform analysis in chronic lower-extremity ischemia, Jan., 39-40

ultrasound

techniques in chronic lowerextremity ischemia, Jan., 34–35

transcranial, in cerebrovascular disease, Mar., 226-227

velocimetry, laser, for determination of lower limb amputation level, Feb., 151–152

venous examination in chronic venous insufficiency, May,

Doxycycline, Dec., 868-869 adverse reactions, Dec., 868-869 Doxycycline (cont.) antibacterial spectrum, Dec., 868 pharmacokinetics, Dec., 868

Drainage

abdominal, in laparoscopic cholecystectomy, Sept., 625

bladder, for hypospadias repair, Aug., 558

CSF, after aortic cross-clamping, Nov., 775

gastric, in peptic ulcer, Apr., 272– 275

types of, Apr., 273

Drug(s)

abuse, IV, causing upper extremity deep venous thrombosis, May, 385

antifungal, Dec., 885-887 antihypertensive, in delayed aor-

tic rupture repair, Nov., 775

antiplatelet (see Antiplatelet drugs)

gastritis due to, July, 463–464 hemorrheologic, in chronic lower-extremity ischemia, Jan., 53–54

for hormone excess in adrenocortical carcinoma, Oct., 694

in ischemia, chronic lowerextremity, Jan., 49-54

kinetics (see Pharmacokinetics) metabolic enhancing, in chronic lower-extremity ischemia, Jan., 54

Duct: cystic, avulsion, in laparoscopic cholecystectomy, Sept., 624

Duodenum

gastroduodenal operations, antibiotic prophylaxis in, Dec., 895–896

ulcer (see Ulcer, duodenal)

Duplex scanning

in cerebrovascular disease, Mar.,

criteria for stenosis of peripheral arteries, Jan., 42

in ischemia, chronic lowerextremity, Jan., 40-42 in thrombosis, upper extremity deep venous, May, 386 in venous insufficiency, chronic, May, 363–365

Dysgenesis, gonadal (see Gonad, dysgenesis)

Dysplasia, carotid fibromuscular, Mar., 206-207 angiogram of, Mar., 207

E

ECG (see Electrocardiography) Echocardiography

after cardiac contusion, Nov., 769

after cardiac wounds, penetrating, Nov., 757

Edema: lower extremity, after infrainguinal bypass, Feb., 135–136

EEG monitoring: during carotid endarterectomy, Mar., 236

Effort-induced axillosubclavian venous thrombosis, May, 388–389

Elastic stocking compression classes, May, 368

Electrocardiography

after cardiac contusion, Nov., 768-769

after cardiac wound repair, penetrating, Nov., 762

monitoring in pheochromocytoma surgery, Oct., 709

Electrocautery (see Cholecystectomy, laparoscopic, electrocautery in)

Electrocoagulation: for bleeding from stress gastritis, July, 498–499

Electroencephalogram: in carotid endarterectomy, Mar., 236

Electronic equipment: for video laparoscopy, Sept., 606

Embolism (see Pulmonary, embolism)

Embolization

air, after pulmonary injury, Nov., 781

transcatheter, for bleeding from stress gastritis, July, 500

Embryology

of adrenal cortex, Oct., 663-664 of adrenal medulla, Oct., 696-697

Embryonic development: and intersex abnormalities, Aug., 520-526

Emphysema

metastatic, and inguinal hernia, June, 414

subcutaneous, after blunt chest trauma, Nov., 777

Endarterectomy

carotid (see below) infrainguinal, Feb., 136

Endarterectomy, carotid, Mar., 187– 262

anesthesia for, Mar., 232–233 arteriotomy closure in, Mar., 238 blood pressure abnormalities af-

ter, Mar., 243-244 cardiac morbidity after, Mar., 246-247

cerebral blood flow monitoring in, Mar., 234-235

complications, postoperative, Mar., 242–248

cranial nerve injuries during, Mar., 244-245

EEG monitoring during, Mar., 236 historical perspective, Mar., 188–189 incision and exposure of carotid bifurcation in, Mar., 233–234

indications, Mar., 230-232 based on combination of symp-

toms and lesions, Mar., 232 controversial, Mar., 231-232

operative, by presence of specific identifiable lesion, Mar., 231

symptomatic, Mar., 230–231 operative field during exposure of carotid artery in, Mar., 245 positioning for, Mar., 233

positioning for, Mar., 233 postoperative monitoring, Mar., 239–240

recurrent carotid stenosis after, Mar., 247–248 results, Mar., 248–251 technical, validation of, Mar., 238-239

shunt placement in, Mar., 235-237

stroke complicating, Mar., 245-246

surgical technique, Mar., 232-240 technique, Mar., 237-238

trials, prospective randomized, current status of, Mar., 251– 252

ACAS Group, Mar., 252 Veterans Administration, Mar., 251–252

wound closure in, Mar., 239 wound complications after, Mar., 243

Endocrine neoplasia: multiple, type II, and pheochromocytoma, Oct., 698–699

Endoscopic therapy: for bleeding from stress gastritis, July, 498-499

Endothelium

-derived relaxing factor, May, 348 vascular, May, 346-348

Endovascular procedures for chronic lower-extremity ischemia, Feb., 103-124

conclusions, Feb., 124

perceived benefits of cost, Feb., 123

perceived benefits of risk reduction, Feb., 123-124

transluminal techniques vs. surgical standards, results of, Feb., 121–123

Enflurane: in pheochromocytoma surgery, Oct., 709

Enoxacin, Dec., 870

Enterococcal penicillins, Dec., 836–838

Enzyme deficiencies leading to pseudohermaphroditism

female, Aug., 538 male, Aug., 535

Eosinophilia: due to antibiotics, Dec., 823

Epithelial renewal: in stress erosive gastritis, July, 472

Equipment: electronic, for video laparoscopy, Sept., 606 Ergot toxicity: arteriographic find-

ings in, Jan., 79, 81–82

Erythromycin

base, Dec., 873-875

adverse reactions, Dec., 874 antibacterial spectrum, Dec.,

873-874, 875 features, Dec., 874

pharmacokinetics, Dec., 873

estolate, Dec., 874

gluceptate, Dec., 874

stearate, Dec., 874

Esophagogastric junction: in parietal cell vagotomy, Apr., 297

Esophagograms after bullet wounds of chest, Nov., 782

of neck, lower, Nov., 783

Esophagus

injuries, Nov., 782-785

cervical, diagram of exposure and repair of, Nov., 784

thoracic, diagram of repair of, Nov., 785

operations, antibiotic prophylaxis in, Dec., 896

Ethaverine: in chronic lowerextremity ischemia, Jan., 50

Etomidate: in pheochromocytoma surgery, Oct., 709

Examination, physical (see Physical examination)

Exercise

arm, heavy, and deep venous upper extremity thrombosis, May, 388

in ischemia, chronic lowerextremity, Jan., 48-49

testing in chronic lower-extremity ischemia, Jan., 38-39

Extra-adrenal pheochromocytoma, Oct., 716

Extremity

(See also Limb)

lower

amputation (see Amputation for ischemia, lower limb) aneurysms, arteriographic findings, Jan., 70–72, 77, 78 arteritis, arteriographic findings in, Jan., 78-79

atherosclerosis, arteriographic findings, Jan., 66–70, 71, 72, 73, 74, 75, 76

edema after infrainguinal bypass, Feb., 135-136

ischemia (see Ischemia, lowerextremity)

pain, differential diagnosis of, Jan., 30

thromboangiitis obliterans, arteriographic findings in, Jan., 73-74, 79

thrombosis of, deep venous (see Thrombosis, venous, deep, lower extremity)

venous valves in, average number and location of, May, 344 upper, deep venous thrombosis

of (see Thrombosis, venous, deep, upper extremity)

F

Factor XII deficiency: and migratory thrombophlebitis, May, 384

Famotidine

for bleeding from stress gastritis, July, 498

in stress ulcer prophylaxis, July, 485-488

pH after (see pH, gastric, after famotidine)

Fascia, transversalis (see Transversalis fascia)

Fasciomusculoaponeurotic components: of lower abdominal wall. June, 409

Femoral

Artery

(See also Femoropopliteal) aneurysm, arteriographic findings, Jan., 77

bifurcation, digital subtraction arteriogram, Jan., 62

hernia (see Hernia, femoral) sheath, June, 412, 413

vein, incompetent superficial, ligation of, May, 372 Femoropopliteal

(See also Femoral, artery; Popliteal artery)

angioplasty (see Angioplasty, percutaneous transluminal, femoropopliteal)

disease, segmental limb pressure in, Jan., 37

patency after percutaneous transluminal angioplasty, Feb., 105

Fentanyl: in pheochromocytoma surgery, Oct., 709

Fibromuscular dysplasia, carotid, Mar., 206-207

angiogram of, Mar., 207

Filter: inferior vena cava, in paraganglioma surgery, Oct., 719

Fine-needle aspiration biopsy: of adrenal cyst, Oct., 721-722

Flail chest, Nov., 786–788 diagram of, Nov., 787

Flora: normal, and antibiotics, Dec., 818–819

Flow cytometry: in malignant pheochromocytoma, Oct., 713-714

Flucloxacillin, Dec., 836

Fluconazole, Dec., 886-887

Flucytosine, Dec., 886-887

Fluorescence: skin, for determination of lower limb amputation level, Feb., 152

Fluoroquinolones, Dec., 869–870 Foley catheter: in pheochromocytoma surgery, Oct., 709

Forceps (see Cholecystectomy, laparoscopic, forceps in)

Forefoot disarticulation: for ischemia, technique, Feb., 158

Fortaz (see Ceftazidime) Fossa: supraclavicular, bullet

wound of, Nov., 774 Fungizone (see Amphotericin)

G

Gallbladder

intrahepatic, in laparoscopic cholecystectomy, Sept., 624

intraoperative, in laparoscopic cholecystectomy, Sept., 623– 624

Gallstones

cholecystectomy for, laparoscopic (see Cholecystectomy, laparoscopic)

large, in laparoscopic cholecystectomy, Sept., 625, 626

therapies for, Sept., 589-590 comparison to laparoscopic cholecystectomy, Sept., 592

Garamycin (see Gentamicin) Gastric

devascularization for bleeding from stress gastritis, July, 501–502

drainage operations in peptic ulcer, Apr., 272–275 types of, Apr., 273

epithelial renewal in stress erosive gastritis, July, 472

erosion compared to gastric ulcer, July, 461

mucosa

barrier broken by chemicals, shock, and sepsis, ulcers after, Apr., 319–321

barrier protecting gastric mucosa cells, Apr., 320

blood flow and stress erosive gastritis, July, 468-471

cells protected by mucosal barrier, Apr., 320

mucus-bicarbonate barrier in stress erosive gastritis, July, 471–472

operations, antibiotic prophylaxis in, Dec., 895-896

outlet obstruction due to peptic ulcer, management, Apr., 308–309

permeability barrier in stress erosive gastritis, July, 467–468 pH (see pH, gastric)

resection, distal, for peptic ulcer, Apr., 276–280

complications, Apr., 279–280 development, Apr., 276–277 diagram, Apr., 278 Gastric (cont.)

resection, distal, for peptic ulcer (cont.)

results, Apr., 277-279

resection, total, for bleeding from stress gastritis, July, 501

resection without vagotomy (see resection, distal above) ulcer (see Ulcer, gastric)

Gastrinoma patients: peptic ulcer in, Apr., 316-318

Gastritis, stress erosive, July, 459-509

(See also Ulcer, stress)

aggressive factors in, July, 466-467

interaction between defensive factors and, July, 473–474 bile reflux in, July, 466–467 bleeding from (see Bleeding, gastritis causing, stress erosive)

clinical setting, July, 461–464 defensive factors in, July, 467– 473

interaction between aggressive factors and, July, 473–474 definition, July, 460–461 epithelial renewal in, July, 472

gastric permeability barrier in, July, 467–468

luminal acid in, July, 466 mucosal blood barrier in, July, 468–471

mucus-bicarbonate barrier in, July, 471-472

pathophysiology, July, 464-474 schematic of, July, 465

prostaglandins in, endogenous, July, 472–473

risk factors, July, 462

Gastroduodenal operations: antibiotic prophylaxis in, Dec., 895-896

Gastroenterostomy: for peptic ulcer, Apr., 274–275

Gastrointestinal toxicity: of antibiotics, Dec., 824

Genital skin biopsy: in male pseudohermaphroditism, Aug., 533 Gentamicin, Dec., 881–884 adverse reactions, Dec., 884 antibacterial spectrum, Dec., 882– 883, 884

features, Dec., 883

pharmacokinetics, Dec., 882

Germ cell tumors: in intersex patients, Aug., 575

Giant cell arteritis, Mar., 212-213 Giant prosthetic reinforcement: of

visceral sac for groin hernias, June, 427–428

Glucocorticoid excess

(See also Cushing's syndrome, adrenal adenoma causing) diagnosis, Oct., 667–668 physiology, Oct., 665–667 signs and symptoms, Oct., 666 Glycosaminoglycans, May, 348 Gonad

biopsy in intersex abnormalities, Aug., 533

dysgenesis

(See also Intersex abnormalities)

mixed, Aug., 542-543 syndromes, Aug., 542-543

retained abnormal, in intersex patient, management of, Aug., 574–575

Gonadoblastoma: in intersex patients, Aug., 575

Gonadotropin

chorionic

human, stimulation test for testicular function in intersex abnormalities, Aug., 532

lutropin-chorionic gonadotropin receptor in plasma membrane, model for, Aug., 525

 releasing hormone therapy for hypogonadism during puberty, Aug., 545-546

Graft

bladder graft neourethra in hypospadias repair, Aug., 566 diverticulum in, Aug., 567 Dacron, in left ventricular bullet wound repair, Nov., 758

vein, PTFE, May, 373

Gram-negative penicillins, Dec., 841-845

Grasping forceps: in laparoscopic cholecystectomy, Sept., 599

Groin hernia (see Hernia, groin) Gum: nicotine chewing, effect on

smoking cessation, Jan., 47

Gunshot wound

(See also Bullet, wounds) of iliac vein, Nov., 766

H

H₂ (see Histamine₂)

Halothane: in pheochromocytoma surgery, Oct., 709

hCG stimulation test: for testicular function in intersex abnormalities, Aug., 532

Heart

bullets in

sites and management, Nov., 763 x-rays, Nov., 766

contusion, Nov., 767-770

photomicrographs of, Nov., 768

missiles in, Nov., 764–767 sites and management of, Nov., 765

treatment, Nov., 765 treatment, results, Nov., 767

x-rays of, Nov., 766 morbidity after carotid endarterectomy, Mar., 246–247

pellets in, sites and management, Nov., 764

rupture, traumatic, Nov., 770-771 primary repair, Nov., 771

shrapnel in, sites and management, Nov., 764

trauma, Nov., 750-771

(See also Cardiothoracic trauma; Heart, wounds)

blunt, Nov., 767-771 penetrating (see below)

rupture due to, Nov., 770-771 rupture due to, primary repair,

Nov., 771 trauma, penetrating, Nov., 750– 761

deaths from, Nov., 751

hemodynamic findings after, Nov., 754

hemodynamic status after, Nov., 759

initial clinical presentation, Nov., 759

pericardiocentesis after, Nov., 755

repair, various maneuvers for, Nov., 757

sequelae from, concomitant or delayed, Nov., 761–764

therapy in, ECG findings after, Nov., 762

therapy in, initial, response to, Nov., 755

in hypotensive patients, Nov., 760

in normotensive patients, Nov., 761

in patients with unobtainable blood pressure, Nov., 760 therapy in, results, Nov., 761

thoracotomy after, Nov., 756

(See also trauma above) sites of, Nov., 752

stab, Nov., 753

Hematocrit: effect of phenoxybenzamine in pheochromocytoma on, Oct., 707

Hematologic reactions: to antibiotics, Dec., 822-823

Hemigastrectomy: for bleeding from stress gastritis, July, 501

Hemodynamic

findings after penetrating cardiac wounds, Nov., 754

status after penetrating cardiac wounds, Nov., 759

Hemodynamics: of venous system, May, 340-342

Hemolytic anemia: due to antibiotics, Dec., 823

Hemorrhage (see Bleeding)

Hemorrheologic drugs: in chronic lower-extremity ischemia, Jan., 53-54

Hemothorax, traumatic, Nov., 788-790

Hemothorax, traumatic (cont.) x-rays, Nov., 773, 789 Heparin in deep venous thrombosis lower extremity, May, 352-354 upper extremity, May, 387, 388 Hepatic dysfunction, and gastric pH after famotidine or cimetidine, July, 488 toxicity of antibiotics, Dec., 823 Heredity: and varicose veins, May, Hermaphroditism, true, Aug., 543-(See also Intersex abnormalities) Hernia femoral (See also Hernia, groin) biology, June, 416-417 iliopubic tract repair, posterior, June, 435-436 repair, recurrence rates after, June. 441 groin See also Hernia, femoral; Hernia, inguinal) Bassini repair, June, 419-421 biology, June, 413-417 classification of, June, 417-419 classification of, individualized approach, June, 417-419 classification of, new, June, 417 classification of, old, June, 417 Cooper ligament repair, June, 421-423 iliopubic tract repair (see Iliopubic tract, repair of hernias) operations, June, 419-436 recurrent (see below) repair, individualization to type of hernia, June, 436-440 Shouldice repair, June, 424-

surgery, future of, June, 446

June, 427

type I, June, 418

type II, June, 418

tension-free hernioplasty for,

type I. repair, June, 437-438

type II, repair, June, 437-438

type III, repair, June, 439-440 type IV, June, 419 type IV, repair, June, 439-440 visceral sac reinforcement for, giant prosthetic, June, 427-428 groin, recurrent, June, 440-446 cause of, June, 440-442 mesh for, polypropylene, attached to Cooper ligament, June, 444 mesh for, prosthetic, inlay, June. 445 mesh for, prosthetic, onlay, June, 443 missed hernias causing, June, after repair under tension, June, 442 treatment. June. 442-446 treatment, results, June, 446 treatment, technique, June, 443-445 inguinal, June, 407-450 (See also Hernia, groin) anatomic considerations, June, 407 - 413biology, June, 413-414 direct, definition, June, 408 direct, iliopubic tract repair, posterior, June, 433-434 iliopubic tract repair, posterior, results. June. 434-435 indirect, definition, June, 408 indirect, iliopubic tract repair, posterior, June, 430-431, 433 indirect, recurrence due to failure to close internal ring. June, 440, 442 repair, recurrence rates after, June, 441 Hernioplasty: tension-free, June, 427 Hip replacement, total, deep vein thrombosis after, May, 349 prophylaxis, May, 351 Histamine, receptor antagonists

type III, June, 418-419

for bleeding from stress gastritis,

July, 498

pharmacodynamics in gastrinoma patients, Apr., 318

in stress ulcer prophylaxis, July, 478–490

comparison of, July, 494 criteria for treatment efficacy, July, 478-480

History

of amputation for ischemia, Feb., 140–142

of carotid endarterectomy, Mar., 188-189

in cerebrovascular disease, Mar., 223–225

of infrainguinal bypass, Feb., 125– 126

in intersex abnormalities, Aug., 528 in ischemia, chronic lowerextremity, Jan., 29–31

Hollenhorst plaque: retinal photograph of, Mar., 216

Hormone

excess in adrenocortical carcinoma, drugs for, Oct., 694 gonadotropin-releasing, therapy for hypogonadism during puberty, Aug., 545–546

Host defenses: effects of antibiotics on, Dec., 824

Hyperaldosteronism

idiopathic, differentiated from aldosterone-producing adenoma, Oct., 673

primary

(See also Adenoma, aldosterone-producing) diagnosis, Oct., 671–674 etiology, Oct., 671 physiology, Oct., 670–671 prognosis, Oct., 676–677 suspected, evaluation of patients with, Oct., 672 treatment, Oct., 675–676 secondary, physiology, Oct., 670 signs and symptoms, Oct., 670

Hypercoagulable states: causing superficial or deep vein thrombosis, May, 382

Hyperemia: reactive, in lower extremity angiography, Jan., 65 Hypernatremia: due to antibiotics, Dec., 823

Hyperplasia, adrenal (see Adrenal, hyperplasia)

Hypersensitivity reaction: to antibiotics, Dec., 821-822

Hypertension

essential, poor control causing complications after carotid endarterectomy, Mar., 244

persistent, after pheochromocytoma surgery, Oct., 713 pheochromocytoma and, Oct.,

699-700

Hypogonadal patients: therapy during puberty, Aug., 545-546

Hypokalemia: due to antibiotics, Dec., 823

Hypospadias in intersex patients penoscrotal, cystostomy and perineal urethrostomy for, Aug., 560

perineal, cystostomy and perineal urethrostomy for, Aug., 561

repair

bladder drainage for, Aug., 558 bladder graft neourethra in, Aug., 566

bladder graft neourethra in, diverticulum in, Aug., 567 first-stage, Aug., 559–563 perineoscrotal staged, Aug., 558–571

second-stage, Aug., 563-568 third-stage, Aug., 568-571

Hypotensive patients: response to initial therapy for penetrating cardiac trauma, Nov., 760

Hypovolemia: unsuspected preoperative, and complications after carotid endarterectomy, Mar., 244

I

Iliac

(See also Aortoiliac) arteries, percutaneous transluminal angioplasty of, Feb., 104– 107 Iliac (cont.)

arteries, percutaneous transluminal angioplasty of, (cont.) complications, Feb., 109 vein, gunshot wound of, Nov., 766

vein, gunshot wound of, Nov., 766 Iliopectineal ligament, June, 410 Iliopubic tract, June, 410–411, 412 repair of hernias, anterior ap-

proach, June, 423-424

repair of hernias, posterior approach, June, 428–436 femoral hernia, June, 435–436 general approach to preperitoneal space, June, 430, 431, 432 inguinal hernia, direct, June,

433-434

inguinal hernia, indirect, June, 430–431, 433

inguinal hernia, results, June, 434–435

llium: right, CT of pheochromocytoma metastatic to, Oct., 715

Imaging

magnetic resonance (see Magnetic resonance imaging)
of pheochromocytoma, Oct., 705
vessel, in cerebrovascular disease,
Mar., 225–227

invasive, Mar., 227

noninvasive, Mar., 225-227

Imidazoles, Dec., 875-877

Imipenem-cilastatin, Dec., 860–863 adverse reactions, Dec., 862–863 antibacterial spectrum, Dec., 861– 862, 863, 864

features, Dec., 862

pharmacokinetics, Dec., 861, 863 Impedance plethysmography: in

chronic venous insufficiency, May, 365

Incision

in adrenocortical carcinoma surgery, Oct., 686–687

in carotid endarterectomy, Mar., 233-234

Indobufen: in chronic lowerextremity ischemia, Jan., 52

Infant

microphallus in, early androgen treatment of, Aug., 544-545 raised as female (see Intersex abnormalities, infants raised as females)

raised as male (see Intersex abnormalities, infants raised as males)

Infarction: cerebral, CT of, Mar., 229 Infection

after amputation of lower limb for ischemia, Feb., 163

infrainguinal bypass graft, Feb., 135

rates, procedure-specific, Dec., 889-890

Infrainguinal

bypass (see Bypass, infrainguinal) endarterectomy, Feb., 136 reconstructive surgery for chronic lower-extremity ischemia, Feb., 125–139

Infrapopliteal percutaneous transluminal angioplasty, Feb., 110-

Inguinal

canal structures, physiology, June, 414–416

floor, palpation of, June, 438 hernia (see Hernia, inguinal) region

dissection, by Bassini, June, 420 laminar structure of, June, 407–

Injuries (see Trauma)

Innominate artery rupture: traumatic, Nov., 777

Instruments (see Laparoscopy, instruments)

Interfoveolar ligament, June, 412– 413

Intermittent claudication (see Claudication, intermittent)

Intersex abnormalities, Aug., 519–579

conclusions, Aug., 575–576 diagnostic algorithm in, Aug., 526 embryonic development and,

Aug., 520-526

evaluation in

diagnostic, Aug., 528-533 initial, Aug., 526-533 laboratory, Aug., 529–531 radiologic, Aug., 531–533 surgical, Aug., 531–533 future developments, Aug., 575– 576

hCG stimulation test for testicular function in, Aug., 532

history in, Aug., 528

infants raised as females

clitoral recession in, Aug., 547-551

labioscrotal reduction in, Aug., 547-551

perineal reconstructions in, Aug., 546-557

perineal reconstructions in, cystoscopy before, Aug., 547

vaginoplasty in, buttock flap, with high vaginal pullthrough, Aug., 554-557 vaginoplasty in, low, Aug., 551-

554 infants raised as males

hypospadias repair in (see Hypospadias in intersex patients, repair)

Müllerian ducts retained in, management of, Aug., 571– 573

neoseminal vesicle creation in, Aug., 571–573

perineal reconstructions in, Aug., 557-574

retained abnormal gonad in, management, Aug., 574– 575

undescended testis management in, Aug., 573-574

management, Aug., 519–579 medical, Aug., 544–546 surgical, Aug., 546–575

physical examination in, Aug., 528–529

testis-determining factor and, Aug., 521

types of, Aug., 533-544 table of, Aug., 520

Intrahepatic gallbladder: in laparoscopic cholecystectomy, Sept., 624 Intraperitoneal bleeding: after gunshot wound, Nov., 766

Intravascular stents: in chronic lower-extremity ischemia, Feb., 119–120

Iodine-labeled metaiodobenzylguanidine scan of pheochromocytoma of organ of Zuckerkandl, Oct., 704

recurrent, Oct., 718

Ischemia

cerebral

events, clinical patterns, Mar., 220-223

pathophysiology, Mar., 214–219 gastritis and, stress erosive, July, 468–470

lower-extremity, chronic, Jan., 11-92; Feb., 103-179

11–92; Feb., 103–179 age and, Jan., 14, 17

amputation for (see Amputation for ischemia)

angiography in (see Angiography, in ischemia, chronic lower-extremity)

angioplasty in, laser, Feb., 113-115

angioplasty in, percutaneous transluminal (see Angioplasty, percutaneous transluminal)

ankle-brachial systolic pressure index in, Jan., 35-36

atherectomy catheters in, Feb., 115-118

diagnosis, Jan., 29-43

digital measurements in, Jan., 33–34

Doppler analog waveform analysis in, Jan., 39-40

Doppler ultrasound techniques in, Jan., 34-35

drugs in, Jan., 49-54

drugs in, antiplatelet, Jan., 51-52

drugs in, hemorrheologic, Jan., 53-54

drugs in, metabolic enhancing, Jan., 54

duplex scanning in, Jan., 40-42

Ischemia (cont.)

lower-extremity, chronic (cont.) endarterectomy in, infrainguinal, Feb., 136

endovascular procedures for (see Endovascular procedures for chronic lowerextremity ischemia)

epidemiology, Jan., 13-28 epidemiology, table relating to,

Jan., 15–16 exercise in, Jan., 48–49 exercise testing in, Jan., 38–39 forefoot disarticulation in, tech-

nique, Feb., 158 history, Jan., 29–31

incidence, Jan., 13–17 infrainguinal bypass for (see Bypass, infrainguinal, in

chronic lower-extremity ischemia)

infrainguinal reconstructive surgery for, Feb., 125–139 introduction, Jan., 11–12 laboratory evaluation, Jan., 31–43 mortality of, Jan., 25–27 natural history, Jan., 13–28 nonoperative treatment, Jan.,

44-55 nonoperative treatment, overview of, Jan., 55

nonoperative treatment, selection of, Jan., 44-45

nonoperative treatment, types of, Jan., 45-54

pentoxifylline in, Jan., 54 pharmacologic treatment (see drugs in above)

physical examination in, Jan., 29-31 plethysmography in, Jan.,

31–32 prevelence Jap. 13, 17

prevalence, Jan., 13–17 prevalence according to age, Jan., 17, 20

pulse volume recordings in, Jan., 32-33

risk factors, Jan., 17–21 segmental limb pressures in, Jan., 36–37 smoking cessation in, Jan., 45-47 stents in, intravascular, Feb.,

survival and, Jan., 26 vasodilators in, Jan., 50–51 volume flow measurements in, Jan., 32

Ischemic

119 - 120

attacks, transient (see TIAs) neurologic deficits, resolving, Mar., 219–220

Mar., 219–220 Isoflurane: in pheochromocytoma surgery, Oct., 709

Isoproterenol: effect on stress erosive gastritis, July, 468

K

Kanamycin, Dec., 885 Kefzol (*see* Cefazolin)

Kelling-Madlener procedure: for gastric ulcer, Apr., 305

Ketoconazole: in adrenocortical carcinoma, Oct., 693-694

Kidney

dysfunction, and gastric pH after famotidine or cimetidine, July, 488

entrapment in laparoscopic nephrectomy, nylon sac for, Sept., 649

failure due to antibiotics, Dec., 823 involvement in adrenocortical carcinoma

CT of, Oct., 680 MRI of, Oct., 682

right, normal, differentiated from right adrenal tumor by arteriography, Oct., 686

veins in adrenocortical carcinoma, MRI of, Oct., 684 Kinetics, drug (see Pharmacokinetics) Kinks: carotid, Mar., 204–205

L

Labioscrotal reduction: in infants raised as females, Aug., 547– 551 Laboratory

evaluation

in intersex abnormalities, Aug., 529-531

in pheochromocytoma, Oct., 700-701

peripheral vascular, in chronic lower-extremity ischemia, Jan., 31–43

β-Lactamase inhibitor combination (see Ampicillin, -sulbactam)

Laminar structure: of inguinal region, June, 407-409

Laparoscopic

appendectomy, Sept., 648 during pregnancy, Sept., 593 cholecystectomy (see Cholecys-

tectomy, laparoscopic)
nephrectomy (see Nephrectomy,
laparoscopic)

procedures

currently accepted, Sept., 647-

investigational, Sept., 648-651

surgery, future horizons in, Sept., 647-651

trocar-sheath assemblies, Sept., 597

Laparoscopy

discussion of term, Sept., 587 instruments

basic, Sept., 595–598 for cholecystectomy, Sept., 598–607

Laser

angioplasty in chronic lowerextremity ischemia, Feb., 113-115

AIS Excimer, photograph of, Feb., 115

Doppler velocimetry for determination of lower limb amputation level, Feb., 151-152

vs. electrocautery for laparoscopic cholecystectomy, Sept., 628-632

photocoagulation for bleeding from stress gastritis, July, 498–499 Latarjet: preserved anterior nerve of, in parietal cell vagotomy, Apr., 296

Lavage: saline, for bleeding from stress gastritis, July, 497

Leg (see Extremity, lower) Ligament

Cooper (see Cooper ligament) iliopectineal, June, 410

interfoveolar, June, 412–413 Ligature: laparoscopic, Sept., 603 Limb

(See also Extremity)

pressures, segmental, in chronic lower-extremity ischemia, Jan., 36–37

salvage

after femoropopliteal percutaneous transluminal angioplasty, Feb., 108

after infrainguinal bypass, Feb., 131-134

Lincomycin, Dec., 879

Lincosamines, Dec., 877-880

Lisfranc's amputation: for ischemia, technique, Feb., 158

Liver (see Hepatic)

Luminal acid: in stress erosive gastritis, July, 466

Lung (see Pulmonary)

Lupus erythematosus: systemic, carotid artery in, Mar., 213-214

Lutropin-chorionic gonadotropin receptor: in plasma membrane, model for, Aug., 525

Lytic therapy (see Thrombolytic therapy)

M

Macrolides, Dec., 872-875

Magnetic resonance imaging of adenoma, aldosterone-

producing, Oct., 674 of adrenal masses, incidental, Oct., 722

of adrenocortical carcinoma, Oct., 681, 682, 683

in cerebrovascular disease, Mar., 228–229

Magnetic resonance imaging (cont.) of pheochromocytoma, Oct., 705–706

in thrombosis, upper extremity deep venous, May, 387

Marcy plastic closure: of internal abdominal ring, June, 439

May-Thurner syndrome, May, 359 Mediastinal shadow: on chest x-ray after aortic rupture, Nov., 773

Mefoxin (see Cefoxitin)

Mesh in hernia repair (see Hernia, groin, recurrent, mesh for)

Metabolic

enhancing drugs in chronic lower-extremity ischemia, Jan., 54

requirements of cerebral circulation, Mar., 197-198

Metaiodobenzylguanidine scan, iodine-labeled, of pheochromocytoma of organ of Zuckerkandl, Oct., 704

recurrent, Oct., 718

Metastases

adrenal, Oct., 725-732 Addison's disease and, Oct., 730-731

detection, Oct., 726-728

diagnosis, Oct., 729-730 incidence, Oct., 725-726

treatment, Oct., 731-732

adrenocortical carcinoma, nonsurgical treatment, Oct., 689– 695

of carotid body tumors, Mar., 210

Metastatic emphysema: and inguinal hernia, June, 414

Methicillin, Dec., 834-836

adverse reactions, Dec., 835 antibacterial spectrum, Dec., 835,

pharmacokinetics, Dec., 835

Metronidazole, Dec., 875-877

adverse reactions, Dec., 877 antibacterial spectrum, Dec., 876, 877

features, Dec., 876-877 pharmacokinetics, Dec., 876 Metyrapone: in adrenocortical carcinoma, Oct., 694-695

Metyrosine in pheochromocytoma, Oct., 707

malignant, Oct., 715

Mezlin (see Mezlocillin)

Mezlocillin, Dec., 841-843

adverse reactions, Dec., 843 antibacterial spectrum, Dec., 842– 843, 844

features, Dec., 843

pharmacokinetics, Dec., 842

MIBG scintigraphy of pheochromocytoma of organ of Zuckerkandl, Oct., 704

recurrent, Oct., 718

Microbiology: and antibiotics, Dec., 818-821

Microphallus: androgen treatment in early infancy, Aug., 544– 545

Minocycline, Dec., 869

Misoprostol: in stress ulcer prophylaxis, July, 489

Missiles, cardiac (see Heart, missiles in)

Mitotane: in adrenocortical carcinoma, Oct., 690

Model

of drug kinetics, open twocompartment, Dec., 812

for lutropin-chorionic gonadotropin receptor in plasma membrane, Aug., 525

Mondor's disease, May, 383-384

Monitoring

blood pressure, in pheochromocytoma surgery, Oct., 709

carotid backpressure, technique, Mar., 234

cerebral blood flow, in carotid endarterectomy, Mar., 234– 235

ECG, in pheochromocytoma surgery, Oct., 709

EEG, during carotid endarterectomy, Mar., 236

postoperative, after carotid endarterectomy, Mar., 239-240

Monobactams, Dec., 858-860

Morbidity

of amputation for lower limb ischemia, Feb., 162–163 cardiac, after carotid endarterec-

tomy, Mar., 246-247

Morcellator: prototype automatic electrical tissue, Sept., 650

Mortality

of amputation for lower limb ischemia, Feb., 162-163

of cardiac trauma, penetrating, Nov., 751

of claudication, intermittent, causes of, Jan., 28

of ischemia, chronic lowerextremity, Jan., 25-27

Moxalactam, Dec., 854

structure-function relationships, Dec., 822

MRI (see Magnetic resonance imaging)

Mucosa, gastric (see Gastric, mucosa)

Mucus-bicarbonate barrier: in stress erosive gastritis, July, 471-472

Müllerian

duct syndrome, retained, Aug., 536-537 surgical management, Aug.,

surgical management, Aug. 571–573

 -inhibiting substance, normal serum levels of, Aug., 531
 Muscle pump: calf, May, 345-346

N

Nafcillin, Dec., 836

Naftidrofuryl: in chronic lowerextremity ischemia, Jan., 54

Neck: lower, bullet wound of, Nov., 783

Needle

fine-needle aspiration biopsy of adrenal cyst, Oct., 721-722

holders in laparoscopic cholecystectomy, Sept., 602

for pericardiocentesis, Nov., 755 Veress, for establishing pneumoperitoneum, Sept., 596

Neomycin, Dec., 885

Neoplasm (see Tumor)

Neoseminal vesicle creation: in intersex patients, Aug., 571– 573

Neourethra, bladder graft, in hypospadias repair, Aug., 566 diverticulum in, Aug., 567

Nephrectomy, laparoscopic, Sept., 649-650

morcellator for, Sept., 650

nylon sac for kidney entrapment in, Sept., 649

Nephritis: interstitial, due to antibiotics, Dec., 823

Nerve

cranial, injuries during carotid endarterectomy, Mar., 244– 245

of Latarjet, preserved anterior, in parietal cell vagotomy, Apr., 296

Nervous system, central (see Central nervous system)

Netilmycin, Dec., 885

Neuroectodermal dysplasias: and pheochromocytoma, Oct., 698

Neuroendocrine response: abnormal, and complications after carotid endarterectomy, Mar., 244

Neurologic deficits: resolving ischemic, Mar., 219-220

Neuropeptide Y expression: in malignant pheochromocytoma, Oct., 713

Neutropenia: due to antibiotics, Dec., 822

Newborn

adrenogenital syndrome in (see Adrenal, hyperplasia, congenital)

intersex abnormalities in (see Intersex abnormalities)

penile size in, Aug., 527

Nicotine chewing gum: effect on smoking cessation, Jan., 47

Nitroprusside: in pheochromocytoma, Oct., 709-710

Norfloxacin, Dec., 870

Nosocomial pneumonia: and sucralfate prophylaxis for stress ulcers, July, 490

Nutrition: parenteral, and upper extremity deep venous thrombosis, May, 388

Nylon sac: for kidney entrapment in laparoscopic nephrectomy, Sept., 649

O

Oculoplethysmography: in cerebrovascular disease, Mar., 225–226

Ofloxacin, Dec., 870

Omental patch closure: of perforated duodenal ulcer, Apr., 311

Omeprazole: for ulcers in gastrinoma patients, Apr., 318

o,p'-DDD in adrenocortical carcinoma, Oct., 690-692 adjuvant, Oct., 695

Operating room organization: for laparoscopic cholecystectomy, Sept., 607

Oral contraceptives: and upper extremity deep venous thrombosis, May, 388

Organ of Zuckerkandl (see Pheochromocytoma, of organ of Zuckerkandl)

Ortho-para-DDD in adrenocortical carcinoma, Oct., 690-692

adjuvant, Oct., 695 Oxacillin, Dec., 836

Oxytetracycline, Dec., 869

D

Pacemakers: transvenous, causing upper extremity deep venous thrombosis, May, 384–385

PaCO₂ levels: variation in, cerebral blood flow response to, Mar., 200

Paget-Schroetter syndrome, May, 388–389

Pain: leg, differential diagnosis, Jan., 30 Palmaz stent, Feb., 120

Pancreatitis: after distal gastric resection, Apr., 279–280

Papaverine: in angiography of lower extremity, Jan., 64

Paraganglioma, Oct., 716-720

carotid body, Mar., 210

CT of, Oct., 719

definition, Oct., 697

diagnosis, Oct., 718

incidence, Oct., 716, 718

presentation, Oct., 718 prognosis, Oct., 719-720

treatment, Oct., 719

Parenteral nutrition: and upper extremity deep venous throm-

bosis, May, 388

Parietal cell vagotomy (see Vagotomy, parietal cell)

Pathogens

found at various body sites, Dec., 818

primary, Dec., 818

secondary, Dec., 818-819

Pefloxacin, Dec., 870

Pellets: cardiac, site and management of, Nov., 764

Penicillin(s), Dec., 825, 829-845

mechanism of, Dec., 829-

spectrum of, Dec., 831-832

enterococcal, Dec., 836–838 G benzathine, Dec., 834

G potassium, Dec., 832–834

adverse reactions, Dec., 833 antibacterial spectrum, Dec.,

832-833, 834 features, Dec., 833

pharmacokinetics, Dec., 832,

G procaine, Dec., 834

general information, Dec., 825 gram-negative, Dec., 841-845

pharmacokinetic properties, Dec., 817

pseuudomonal, Dec., 838–841 resistance to, Dec., 832 staphylococcal, Dec., 834–836

streptococcal, Dec., 832-834

structure, Dec., 829 -function relationships, Dec., 825, 829

synergism with aminoglycosides, Dec., 831–832

V, Dec., 834

Penis

blood supply, Aug., 548 size, in newborn, Aug., 527

Penoscrotal hypospadias: cystostomy and perineal urethrostomy for, Aug., 560

Pentoxifylline: in chronic lowerextremity ischemia, Jan., 53-54

Percutaneous transluminal angioplasty (see Angioplasty, percutaneous transluminal)

Perforated ulcers

duodenal (see Ulcer, duodenal, perforated)

gastric, selection of operation for, Apr., 314-315

peptic, selection of operation for, Apr., 309-316

stomal, selection of operation for, Apr., 315–316

Perfusion

cerebral (see Cerebral, perfusion) skin, pressure, for determination of lower limb amputation level, Feb., 152–153

Periarteritis nodosa: carotid artery in, Mar., 213

Pericardiocentesis: after penetrating cardiac trauma, Nov., 754– 755

Pericarditis: after penetrating cardiac trauma, Nov., 763-764

Pericardium valve prosthesis: monocusp bovine, May, 371

Perineal

hypospadias, cystostomy and perineal urethrostomy for, Aug., 561

reconstructions

in infants raised as females, Aug., 546–557 in infants raised as females,

cystoscopy before, Aug., 547

in infants raised as males, Aug., 557-574

urethrostomy (see Urethrostomy, perineal)

Perineoscrotal staged hypospadias repair: in intersex patients, Aug., 558-571

PET (see Tomography, positron emission)

pH, gastric

after cimetidine, July, 481, 487

IV bolus vs. continuous infusion, July, 483

in patients with renal and/or

in patients with renal and/or hepatic dysfunction, July, 488

after famotidine, July, 487 IV or oral, July, 487 in patients with renal and/or

hepatic dysfunction, July, 488 in stress ulcer management, July, 476

Pharmacodynamics: of H₂ receptor antagonists in gastrinoma patients, Apr., 318

Pharmacokinetics amphotericin, Dec., 886 ampicillin, Dec., 837 ampicillin-sulbactam, Dec., 844 antibiotics, Dec., 811-818 aztreonam, Dec., 859, 861 cefazolin, Dec., 849, 850 cefotaxime, Dec., 856, 858 cefoxitin, Dec., 852-853 ceftazidime, Dec., 854-855 cephalosporins, Dec., 817 chloramphenicol, Dec., 880-881 cimetidine, July, 485 ciprofloxacin, Dec., 869, 870 clindamycin, Dec., 878 doxycycline, Dec., 868 erythromcyin, Dec., 873 gentamicin, Dec., 882

863 methicillin, Dec., 835 metronidazole, Dec., 876 mezlocillin, Dec., 842 model of, open twocompartment, Dec., 812

imipenem-cilastatin, Dec., 861,

Pharmacokinetics (cont.) penicillin, Dec., 817 G potassium, Dec., 832, 833 piperacillin, Dec., 839 ranitidine, July, 485 sulfamethoxazole-trimethoprim, Dec., 866 vancomycin, Dec., 871, 873 Pharmacologic treatment (see Drugs) Phenozybenzamine in pheochromocytoma, Oct., 706-707 malignant, Oct., 715 during pregnancy, Oct., 712 preoperative, Oct., 706 Phentolamine: during pheochromocytoma surgery, Oct., 709 Pheochromocytoma, Oct., 698-716 of abdomen, upper quadrant, CT of. Oct., 717 bilateral, Oct., 712 clinical presentation, Oct., 699-CT of, Oct., 702, 703 definition, Oct., 697 diagnosis, Oct., 700 etiology, Oct., 699 extra-adrenal, Oct., 716 familial, Oct., 698-699 follow-up, Oct., 713 imaging techniques, Oct., 705 incidence, Oct., 699 laboratory evaluation in, Oct., 700 - 701localization, Oct., 701-706 malignant, Oct., 713-716 CT of, Oct., 714, 715 diagnosis, Oct., 713-715 follow-up, Oct., 715-716 prognosis, Oct., 715-716 treatment, Oct., 715 management anesthetic, Oct., 708-710 preoperative, Oct., 706-708 of organ of Zuckerkandl CT of, Oct., 717 recurrence of, Oct., 718 scintigraphy of, MIBG, Oct.,

pathologic specimen, Oct., 711

prognosis, Oct., 713 resection, intraoperative photograph of, Oct., 711 sporadic, Oct., 698-699 treatment, Oct., 710-711 volume repletion in, Oct., 708 Phlebography: descending, for grading of valvular reflux, May, 362 Phleborheography: in upper extremity deep venous thrombosis, May, 386 Phlegmasia cerulea dolens, May, 355 Photocoagulation: laser, for bleeding from stress gastritis, July, 498-499 Photograph: retinal, of Hollenhorst plaque, Mar., 216 Photomicrographs: of cardiac contusion, Nov., 768 Photoplethysmography: in varicose veins, May, 377, 378 Physical examination in cerebrovascular disease, Mar., 223-225 in intersex abnormalities, Aug., 528-529 in ischemia, chronic lowerextremity, Jan., 29-31 Piperacillin, Dec., 838-840 adverse reactions, Dec., 840 antibacterial spectrum, Dec., 839-840, 841 features, Dec., 840 pharmacokinetics, Dec., 839 Pipracil (see Piperacillin) Plaque: Hollenhorst, retinal photograph of, Mar., 216 Plasminogen activators: effect of radiation-induced carotid artery injuries on, Mar., 211 Plastic closure: Marcy, of internal abdominal ring, June, 439 Plethysmography air in ischemia, chronic lowerextremity, Jan., 32-33

during pregnancy, Oct., 712

in venous insufficiency,

chronic, May, 374

impedance, in chronic venous insufficiency, May, 365

in ischemia, chronic lowerextremity, Jan., 31-32

strain gauge, in chronic venous insufficiency, May, 374

Pneumatic calf compression: intermittent, after venous reconstruction, May, 373

Pneumonia: nosocomial, and sucralfate prophylaxis for stress ulcers, July, 490

Pneumoperitoneum creation in laparoscopic cholecystectomy, Sept., 608-611

Veress needle for, Sept., 596 Pneumothorax, Nov., 790-792

open, Nov., 785–786

simple, Nov., 790 tension, Nov., 791-792

Po₂: transcutaneous, for amputation level determination, Feb., 149-150

Polypropylene mesh: attached to Cooper ligament for recurrent hernia, June, 444

Polytetrafluoroethylene infrainguinal bypass, Feb., 138 patency, Feb., 135

vein graft, May, 373

Popliteal artery

(See also Femoropopliteal) aneurysm, arteriographic findings, Jan., 78

degeneration, cystic adventitial, Jan., 77

entrapment syndrome, arteriographic findings in, Jan., 74, 76-77, 80

Positron emission tomography (see Tomography, positron emission)

Postoperative

care after laparoscopic cholecystectomy, Sept., 628

complications of carotid endarterectomy, Mar., 242– 248

management after infrainguinal bypass, Feb., 131 monitoring after carotid endarterectomy, Mar., 239-240

Postural stimulation test: in primary hyperaldosteronism, Oct., 672–673

Praxilene: in chronic lowerextremity ischemia, Jan., 54

Prednisone: causing gastritis, July, 463

Pregnancy

appendectomy during, laparoscopic, Sept., 593

cholecystectomy during, laparoscopic, Sept., 593

pheochromocytoma during, Oct., 712

varicose veins and, May, 374 Prenatal treatment: of congenital

adrenal hyperplasia, Aug., 541–542

Preoperative care: in laparoscopic cholecystectomy, Sept., 607– 608

Prepenile scrotal repair: for hypospadias in intersex patients, Aug., 568-571

Preperitoneal approach to groin hernias (see Iliopubic tract, repair of hernias, posterior)

Primaxin (see Imipenem-cilastatin)
Probe: insulated, for electrocautery
in laparoscopic cholecystectomy, Sept., 604

Profundaplasty: in chronic lowerextremity ischemia, Feb., 136

Propranolol in pheochromocytoma, Oct., 708

malignant, Oct., 715

Prostacyclin

activators, effect of radiationinduced injuries to carotid artery on, Mar., 211

in endothelial cells, May, 347-348 in ischemia, chronic lower-

extremity, Jan., 50-51

Prostaglandin(s) for bleeding from stress gastritis, July, 498

endogenous, in stress erosive gastritis, July, 472–473 Prostaglandin(s) (cont.)

I₂ in chronic lower-extremity ischemia, Jan., 50-51

in stress ulcer prophylaxis, July, 488-489

Prosthesis: monocusp bovine pericardium valve, May, 371

Prosthetic

mesh (see Mesh, prosthetic) reinforcement, giant, of visceral sac, for groin hernias, June, 427–428

Protein binding: of antibiotics, Dec., 816

Prothrombin synthesis: and antibiotics, Dec., 823

Pseudohermaphroditism

female, Aug., 538-542

(See also Intersex abnormali-

enzyme deficiencies leading to, Aug., 538

male, Aug., 533-537

(See also Intersex abnormalities) enzyme deficiencies leading to, Aug., 535

Pseudomembranous colitis: due to antibiotics, Dec., 824

Pseudomonal

cephalosporins, Dec., 854–856 penicillins, Dec., 838–841

PTA (see Angioplasty, percutaneous transluminal)

PTFE (see Polytetrafluoroethylene) Puberty: hypogonadism therapy during, Aug., 545–546

Pulmonary

contusion, Nov., 781 flail chest and, Nov., 787-788

embolism, May, 355–357 after amputation for lower limb ischemia, Feb., 162

thrombosis and, axillosubclavian vein, May, 386

trauma, Nov., 779, 781
Pulse volume recordings: in chronic lower-extremity ischemia,
Jan., 32–33

Pump: calf muscle, May, 345-346 Puncture: for angiography in chronic lower-extremity ischemia, Jan., 57-58

Pyloroplasty for peptic ulcer, Apr., 272-274

modifications, Apr., 274

R

Radiation therapy (see Radiotherapy)

Radiologic evaluation: in intersex abnormalities, Aug., 531-533

Radionuclide venography: in upper extremity deep venous thrombosis, May, 386

Radiotherapy

in adrenal metastases, Oct., 731 in adrenocortical carcinoma, Oct., 693

adjuvant, Oct., 695

carotid artery injury due to, Mar., 210-211

in carotid body tumors, Mar., 210 in pheochromocytoma, malignant, Oct., 715

Ranitidine

for bleeding from stress gastritis, July, 498

in stress ulcer prophylaxis, July, 484-485

Rash: due to antibiotics, Dec., 821 Ray amputation: for ischemia, technique, Feb., 156–157

Reconstruction

infrainguinal, for chronic lowerextremity ischemia, Feb., 125-139

perineal (see Perineal, reconstructions)

vein valve, May, 370-371

venous, deep, procedures for, May, 370

Rectum operations

antibiotic prophylaxis in, Dec., 893-894

preparation for, Dec., 894

Reflux

bile, in stress erosive gastritis, July, 466-467 venous valvular, grading by descending phlebography, May, 362

Renal (see Kidney)

Resolving ischemic neurologic deficits, Mar., 219-220

Respiratory difficulties: in flail chest, Nov., 787

Restenosis: after lower extremity percutaneous transluminal angioplasty, etiologies and intervention, Feb., 112

Retinal photograph: of Hollenhorst plaque, Mar., 216

Revascularization: vs. amputation for lower limb ischemia, Feb., 144–148

Rib resection: first, in Paget-Schroetter syndrome, May,

RINDs, Mar., 219-220

Roentgenogram

of aortic injuries, Nov., 773, 774 after bullet wounds of chest, Nov., 781 of neck, lower, Nov., 783 of bullets in heart, Nov., 766 of hemothorax, Nov., 773, 789

of pneumothorax, tension, Nov., 791

Rotablator: Auth, Feb., 118 Rupture, traumatic

aorta, diagram of stresses contributing to, Nov., 772

arterial, innominate and subclavian, Nov., 777

bronchi, main stem, Nov., 780 cardiac, Nov., 770–771

primary repair, Nov., 771 tracheal

distal, Nov., 780 thoracic, repair of, Nov., 779

S

Sac: nylon, for kidney entrapment in laparoscopic nephrectomy, Sept., 649

Saline lavage: for bleeding from stress gastritis, July, 497 Scanning

brain, in cerebrovascular disease, Mar., 227-230

duplex (see Duplex scanning) ventilation perfusion, in diagnosis of pulmonary embolism, May, 356-357

Scintigraphy

MIBG, of pheochromocytoma of organ of Zuckerkandl, Oct., 704

recurrent, Oct., 718

in pheochromocytoma, Oct., 702–706

Scissors: laparoscopic, Sept., 602 Sclerotherapy: in varicose veins, May, 379–381

Scrotal repair: prepenile, for hypospadias in intersex patients, Aug., 568-571

Segmental limb pressures: in chronic lower-extremity ischemia, Jan., 36–37

Seizures: due to antibiotics, Dec., 823

Sepsis: breaking mucosal barrier causing peptic ulcer, Apr., 319–321

Septra (see Sulfamethoxazoletrimethoprim)

Sex

adrenocortical carcinoma and, Oct., 677

amputation for lower limb ischemia and, Feb., 142 pheochromocytoma and, Oct., 699 varicose veins and, May, 374

Shock: breaking mucosal barrier causing peptic ulcer, Apr., 319–321

Shouldice repair: of groin hernias, June, 424–427

Shrapnel: cardiac, sites and management, Nov., 764

Shunt placement: in carotid endarterectomy, Mar., 235-237

Simpson Peripheral AtheroCath, Feb., 116

proposed mechanism of action, Feb., 117 Sitting: chair, and varicose veins, May, 374-375

Skin

biopsy, genital, in male pseudohermaphroditism, Aug., 533

blood flow for determination of lower limb amputation level, Feb., 153-154

changes and varicose veins, May, 376

fluoresence for determination of lower limb amputation level, Feb., 152

perfusion pressure for determination of lower limb amputation level, Feb., 152-153

Skull (see Cranium)

Smoking

cessation

after infrainguinal bypass, Feb., 131

in ischemia, chronic lowerextremity, Jan., 45-47

effects on atherosclerosis, Jan., 46

SMX-TMP (see Sulfamethoxazoletrimethoprim)

Sodium suramin: in adrenocortical carcinoma, Oct., 693

Spironolactone

in adrenocortical carcinoma, Oct., 695

in hyperaldosteronism, primary, Oct., 675

Stab wound: of heart, Nov., 753 Staphcillin (see Methicillin)

Staphylococcal

cephalosporins, Dec., 850–852 penicillins, Dec., 834–836

Steal: vertebral steal phenomenon, Mar., 220-221

Stenosis

carotid (see Carotid, stenosis) peripheral arteries, duplex criteria for, Jan., 42

restenosis after lower extremity percutaneous transluminal angioplasty, etiologies and interventions, Feb., 112 Stent(s)

intravascular, in chronic lowerextremity ischemia, Feb., 119-120

Palmaz, Feb., 120

Steroid(s)

after aortic cross-clamping, Nov., 775

gastritis due to, July, 463

management of neonate with adrenogenital syndrome, Aug., 541

metabolism, normal pathways for, Aug., 530

in periarteritis nodosa, Mar., 213 perioperative, in adrenocortical carcinoma, Oct., 685–686 receptor homology, Aug., 524

in Takayasu's arteritis, Mar., 213 Stockings: graduated elastic com-

pression, May, 367–369 Stomal ulcer: perforated, selection of operation for, Apr., 315– 316

Stones

bile duct, common, management during laparoscopic cholecystectomy, Sept., 636–638 gallstones (see Gallstones)

Streptococcal penicillins, Dec., 832– 834

Stress(es)

contributing to traumatic aortic rupture, diagram of, Nov., 772

gastritis (see Gastritis, stress erosive)

ulcer (see Ulcer, stress)

Stroke

complicating carotid endarterectomy, Mar., 245-246

definition, Mar., 220

in evolution, Mar., 220

for asymptomatic patients, Mar., 249

for patients who had TIAs, Mar., 249

for patients who have had stroke. Mar., 249 Subclavian

artery

branches, Mar., 190–191 rupture, traumatic, Nov., 777

vein

catheterization causing deep venous thrombosis, May, 384 thrombosis (see Thrombosis,

venous, deep, upper extremity)
Subcutaneous emphysema: after

blunt chest trauma, Nov.,

Sucking wounds: of chest, Nov., 785-786

Sucralfate: in stress ulcer prophylaxis, July, 489-490

Sulbactam (see Ampicillin, -sulbactam)

Sulfmethoxazole-trimethoprim,

Dec., 865–867 adverse reactions, Dec., 867 antibacterial spectrum, Dec. 866.

antibacterial spectrum, Dec., 866– 867

features, Dec., 867

pharmacokinetics, Dec., 866

Sulfinpyrazone: in cerebrovascular disease, Mar., 242

Sulfonamides, Dec., 864–867

Supraclavicular fossa: bullet wound of, Nov., 774

Suramin: in adrenocortical carcinoma, Oct., 693

Swan-Ganz catheter (see Catheter, Swan-Ganz)

Syme's amputation: for ischemia, technique, Feb., 158, 159

T

Takayasu's arteritis, Mar., 212– 213

Tazicef (see Ceftazidime)
Tazidime (see Ceftazidime)

Temporal arteritis, Mar., 212

Tension pneumothorax, Nov., 791-

Testis

carcinoma, in situ, in intersex patients, Aug., 574–575 -determining factor, Aug., 521 function, hCG stimulation test for, in intersex abnormalities, Aug., 532

undescended, in intersex patients, management of, Aug., 573-574

Testosterone enanthate: in microphallus, Aug., 544–545 Tetracyclines, Dec., 868–869

Thermography: for determination of lower limb amputation level,

Feb., 154
Thoracotomy: left anterolateral,

Nov., 756 Thorax (see Chest)

Thrombectomy in deep venous thrombosis

lower extremity, May, 355

upper extremity, May, 387

Thromboangiitis obliterans: arteriographic findings in, Jan., 73– 74, 79

Thrombocytopenia: heparininduced, May, 353

Thromboendovenectomy: with vein patch venoplasty, May, 373

Thrombolytic therapy in deep venous thrombosis effort-induced, May, 388

lower extremity, May, 354 upper extremity, May, 387

Thrombophlebitis: migratory, May, 384

Thrombosis

venous, axillosubclavian (see Thrombosis, venous, deep, upper extremity below)

venous, deep, hypercoagulable states causing, May, 382

venous, deep, lower extremity, May, 348-357

after amputation, Feb., 162 diagnosis, May, 350–351 epidemiology, May, 348–349

heparin in, May, 352-354 after infrainguinal bypass, Feb.,

136 lytic therapy in, May, 354 prophylaxis, May, 351–352 risk factors, May, 349–350 Thrombosis (cont.) venous, deep, lower extremity (cont.) thrombectomy in, May, 355 treatment, May, 352-355 venous, deep, upper extremity, May, 384-389 clinical aspects, May, 385-386 diagnosis, May, 386-387 effort-induced, May, 388-389 incidence, May, 384-385 spontaneous, May, 388-389 treatment, May, 387-388 venous, superficial, May, 381-384 hypercoagulable states causing, May, 382 Thromboxane A., May, 347-348 synthetase inhibitors in chronic lower-extremity ischemia, Jan., 52 Thrombus: in ulcer crater in carotid ulcer, Mar., 218

TIAs. Mar., 219 crescendo, Mar., 220 stroke rate after, Mar., 249 Ticarcillin, Dec., 841 -clavulanate, Dec., 845 **Ticlopidine**

in cerebrovascular disease, Mar., in ischemia, chronic lower-

extremity, Jan., 52 Tinidazole, Dec., 877

Tobacco smoking (see Smoking) Tobramycin, Dec., 884-885

Toe amputation: for ischemia, technique, Feb., 155-156

Tolazoline: in angiography of lower extremity, Jan., 64

Tomography

computed (see Computed tomography)

positron emission

of cerebral circulation, Mar.,

in cerebrovascular disease, Mar., 229-230

Toxicity

antibiotic (see Antibiotic, toxicity)

ergot, arteriographic findings in, Jan., 79, 81-82

Trachea

cervical, wound, diagram of repair of, Nov., 778 rupture (see Rupture, trachea) tear, traumatic longitudinal, Nov.,

Tracheobronchial injury, Nov., 776-

Training: for laparoscopic cholecystectomy, Sept., 645

Transient ischemic attacks (see TIAs)

Transluminal

angioplasty (see Angioplasty, percutaneous transluminal) endovascular procedures for chronic lower-extremity ischemia vs. surgical standards, Feb., 121-123

Transmetatarsal amputation: for ischemia, technique, Feb., 157 - 158

Transplantation: vein valve, May, 369 - 370

Transposition: vein valve, May, 370 Transversalis fascia, June, 409-410,

analogues, June, 410-413 sling, June, 412-413

Trauma

aorta (see Aorta, injuries) cardiac (see Heart, trauma) cardiothoracic (see Cardiothoracic trauma) chest (see Chest, injuries)

esophagus (see Esophagus, inju-

hemothorax due to, Nov., 788-790

x-rays, Nov., 773, 789

pneumothorax due to (see Pneumothorax)

pulmonary, Nov., 779, 781 rupture due to (see Rupture, traumatic)

trachea, cervical, repair of, Nov.,

tracheobronchial, Nov., 776-779

Trimethoprim (see Sulfamethoxazoletrimethoprim)

Trocar-sheath

assemblies, laparoscopic, Sept., 597

insertion in laparoscopic cholecystectomy, Sept., 608–611, 612

injuries due to, Sept., 627 positrons for, Sept., 615

Truncal vagotomy (see Vagotomy, truncal)

Tumor

adrenal (see Adrenal, neoplasms) carotid body, Mar., 208–210 angiogram of, Mar., 208

endocrine, multiple, type II, and pheochromocytoma, Oct., 698–699

germ cell, in intersex patients, Aug., 575

U

Ulcer

carotid, Mar., 203 thrombus in ulcer crater, Mar., 218

Curling's, July, 462–463 Cushing's, July, 463

duodenal

bleeding, selection of emergency operation for, Apr., 305–307

combined with gastric ulcer, treatment, Apr., 319

perforated, Apr., 309–314

perforated, Apr., 309–314 perforated, closure of, omental patch, after parietal cell vagotomy, Apr., 311

perforated, closure of, simple, Apr., 310–312

perforated, closure of, simple, and parietal cell vagotomy,

Apr., 313–314 perforated, nonoperative treatment, Apr., 309–310

perforated, operation for, definitive, Apr., 312-313

perforated, operation for, selection of, Apr., 309–314

gastric, Apr., 297-305

benign, selection of operation for, Apr., 299–305

bleeding, selection of emergency operation for, Apr., 307–308

combined with duodenal ulcer, treatment, Apr., 319

gastric erosion compared to, July, 461

perforated, selection of operation for, Apr., 314-315

surgery for, Apr., 297– 299

type I, parietal cell vagotomy and mucosal ulcerectomy for, Apr., 303

types of, and their recommended surgical treatment, Apr., 300

peptic, Apr., 271-330

bleeding, selection of emergency operation for, Apr., 305-308

conclusions, Apr., 321-323

gastric resection for, distal (see Gastric, resection, distal, for peptic ulcer)

in gastrinoma patients, Apr., 316-318

gastroenterostomy for, Apr., 274-275

historical overview, Apr., 271-

mucosal barrier broken by chemicals, sepsis, and shock causing, Apr., 319–321

obstruction by, management, Apr., 308–309

perforated, selection of operation for, Apr., 309-316

pyloroplasty for, Apr., 272– 274

pyloroplasty for, modifications, Apr., 274

recurrent, after parietal cell vagotomy, Apr., 291–293 surgery for, Apr., 271–330 Ulcer (cont.) peptic (cont.) surgery for, historical overview, Vaginal atresia: high, in infants Apr., 271-272 vagotomy for (see Vagotomy) stomal, perforated, selection of operation for, Apr., 315-316 stress (See also Gastritis, stress ero-Vagotomy, Apr., 280-285 pH in, intragastric, significance of, July, 476 July, 501 stress, prophylaxis, July, 474-495 Apr., 273 antacids in, July, 476-478 antacids in, vs. cimetidine, July, cimetidine in (see Cimetidine. diagram, Apr., 282 in stress ulcer prophylaxis) commentary on, July, 491-Apr., 297 495 famotidine in. July. 485-488 famotidine in, gastric pH after (see pH, gastric, after famotianterior, Apr., 296 dine) H2 receptor antagonists in (see Histamine, receptor antagonists, in stress ulcer prophylaxis) Арг., 311 prostaglandins in, July, 488ranitidine in, July, 484-485 313-314 sucralfate in, July, 489-490 Ulcerectomy: mucosal, for type I 291 - 293gastric ulcer, Apr., 303

Ultrasound Doppler (see Doppler, ultrasound)

duplex (see Duplex scanning) in thrombosis diagnosis, deep venous, May, 350

Unasyn (see Ampicillin, -sulbactam) Unna's boot, May, 367

Urethrostomy, perineal, for hypospadias midshaft, Aug., 559

penoscrotal, Aug., 560 Urokinase in deep venous thrombosis

lower extremity, May, 354 upper extremity, May, 387

raised as females, management of, Aug., 554-557 Vaginoplasty, flap, in infants raised as females, Aug., 551-554 buttock, with high vaginal pullthrough, Aug., 554-557 for bleeding from stress gastritis, drainage procedures used with, parietal cell, Apr., 289-297 development, Apr., 289-291 esophagogastric junction in, for gastric ulcer, type I, Apr., nerve of Latarajet in, preserved operative technique, Apr., 295for perforated duodenal ulcer, omental patch closure after, for perforated duodenal ulcer, simple closure after, Apr., recurrent ulcers after, Apr., results, Apr., 293-294 trials of, Apr., 294-295 selective, Apr., 284-285 diagram, Apr., 282

truncal antrectomy and, Apr., 285-289 antrectomy and, development, Apr., 285-287 antrectomy and, trials of, Apr., 287 - 289development, Apr., 280-281

diagram, Apr., 278, 282 types of, diagram, Apr., 282 Valve

prosthesis, monocusp bovine pericardium, May, 371 venous (see Vein, valves)

Valvuloplasty: technique for, May, 371

Vancocin (see Vancomycin)

Vancomycin, Dec., 870–872 adverse reactions, Dec., 872

antibacterial spectrum, Dec., 871–872, 874

pharmacokinetics, Dec., 871, 873 Van Winiwarter-Buerger disease: arteriographic findings in, Jan., 73–74, 79

Varicography: in varicose veins, May, 377

Varicose veins, May, 357-358, 374-381

compression therapy in, May, 381 epidemiology, May, 374–375

evaluation of, May, 376–377 pathophysiology, May, 375–376 photoplethysmography in, May,

sclerotherapy in, May, 379–381 surgery in, May, 377–379 treatment, May, 377–381

Vascular

(See also Vessels)

cerebrovascular (see Cerebrovascular)

endothelium, May, 346–348 endovascular procedures (see En-

dovascular procedures) laboratory, peripheral, in chronic lower-extremity ischemia,

Jan., 31–43 operations, antibiotic prophylaxis in, Dec., 898

Vasculitis: carotid artery in, Mar., 211-214

Vasodilators

in angiography of lower extremity, Jan., 63-64

in ischemia, chronic lowerextremity, Jan., 50-51

Vasopressin infusion: for bleeding from stress gastritis, July, 499-500

Vecuronium: in pheochromocytoma surgery, Oct., 709

Vein(s)

adrenal (see Adrenal, vein)

angioplasty, balloon, in Paget-Schroetter syndrome, May, 388–389

bypass (see Bypass, venous) communicating, May, 347 deep

(See also Thrombosis, venous, deep)

aplasia, congenital, causing chronic venous insufficiency, May, 359

reconstruction, procedures for, May, 370

system, noninvasive evaluation in chronic venous insufficiency, May, 362-365

disease, May, 339-400

anatomic considerations, May, 339–348

functional considerations, May, 339–348

examination, Doppler, in chronic venous insufficiency, May, 363

femoral, incompetent superficial, ligation of, May, 372

graft, PTFE, May, 373

iliac, gunshot wound of, Nov., 766

insufficiency, chronic, May, 357– 374

compression therapy in, May, 367-369

diagnosis, May, 360–365 Doppler venous examination in, May, 363

duplex scanning in, May, 363-

epidemiology, May, 358

etiology, May, 358-360

management, May, 365-374 management, nonoperative,

May, 366-367

noninvasive evaluation of deep venous system in, May, 362– 365

pathophysiology, May, 358–360 plethysmography in, impedance, May, 365

surgery in, May, 369-374

Vein(s) (cont.)

patch venoplasty, thromboendovenectomy with, May, 373

renal, in adrenocortical carcinoma, MRI of, Oct., 684

sampling, selective, in localization of aldosterone-producing adenoma, Oct., 675

subclavian (see Subclavian, vein) system, hemodynamics of, May, 340-342

thrombosis (see Thrombosis, venous)

valve(s), May, 342-345

aplasia, congenital, causing chronic venous insufficiency, May, 359

incompetence, causing chronic venous insufficiency, May, 359–360

in lower extremity, average number and location of, May, 344

opening and closure of, May, 343

reconstruction, May, 370–371 reflux, grading by descending phlebography, May, 362 repair, direct, May, 370

substitute, May, 372

transplantation, May, 369-370

transposition, May, 370 varicose (see Varicose veins) Velocimetry: laser Doppler, for determination of lower limb amputation level, Feb., 151–

152 Vena cava, inferior

> filter, in paraganglioma surgery, Oct., 719

in pheochromocytoma, CT of, Oct., 714

Venography

in adrenocortical carcinoma, Oct., 685

in thrombosis, upper extremity deep venous, May, 386

Venoplasty: vein patch, thromboendovenectomy with, May, 373 Venous (see Vein)

Ventilation

mechanical, and stress gastritis, July, 462

perfusion scan in diagnosis of pulmonary embolism, May, 356–357

Ventricle

left, bullet wound of, Nov., 758 right, traumatic rupture, primary repair of, Nov., 771

Varess needle: for establishing pneumoperitoneum, Sept., 596

Vertebral

artery(ies)

anatomy of, Mar., 191–192 in collateral circulation, Mar., 196 entrance into cranium, Mar.,

192 steal phenomenon, Mar., 220-

Vesicle: neoseminal, creation in intersex patients, Aug., 571– 573

Vessels

(See also Vascular)

distal, opacification in angiography, Jan., 63-66

imaging (see Imaging, vessel)

Vibramycin (see Doxycycline) Video equipment: for laparoscopic cholecystectomy, Sept.,

Visceral sac reinforcement: giant prosthetic, for groin hernias, June, 427–428

Volume

606

expansion after penetrating cardiac trauma, Nov., 754

flow measurements in chronic lower-extremity ischemia, Jan., 32

recordings, pulse, in chronic lower-extremity ischemia, Jan., 32–33

repletion in pheochromocytoma, Oct., 708 Warfarin in cerebrovascular disease, Mar., 240

in thrombosis, deep venous, May, 353

Wound(s)

bullet (see Bullet, wounds) chest (see Chest, wounds) closure in carotid endarterectomy, Mar., 239 complications

after carotid endarterectomy, Mar., 243

after infrainguinal bypass, Feb., 135 gunshot (See also Bullet, wounds)

of iliac vein, Nov., 766 heart (see Heart, wounds)

X-ray (see Roentgenogram)

Z

Zolicef (see Cefazolin)